6-unit freestanding mailbox system Design BASIC 385 ST-R - Horizontal - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 6 letterboxes (2x3)



Product number 385-7016-6W

Product description

Freestanding 6-unit mailbox system BASIC 385 for 6 households – wide, multi-column configuration – RAL 7016 Anthracite grey

The freestanding BASIC 385 mailbox system for 6 households combines a robust construction with a clear, functional design. It is suitable for apartment buildings, smaller residential complexes as well as office and medical practice premises and can be positioned independently of the building façade at the property entrance, by a driveway or along the access path.

The W configuration distributes the mail compartments across a wider, multi-column system layout, creating a clear frontage for multiple users.

The mailboxes are made of galvanised steel and powder-coated in RAL 7016 Anthracite grey with a matt fine-texture finish. A close-fitting side cladding with rain cover unites the individual mailboxes into a single enclosed system.

Each mailbox has an aperture of 35 × 265 mm for DIN C4 items in portrait format. A noise-damping rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox is supplied with two keys bearing a key number and a replaceable nameplate located below the letter flap.

The advantages of the BASIC 385 at a glance

Solid stainless steel support posts

Round-tube support posts of approx. 60 mm diameter made of brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

Large letter slot compliant with DIN EN 13724

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The deposit opening of 35 × 265 mm is designed for DIN C4 items in portrait format. Larger envelopes can also be deposited without folding.

Quiet deposit and convenient retrieval

A noise-damping rubber lip reduces impact noise from the deposit flaps. Mail is retrieved from the front via doors that open from left to right.

Durable finish in RAL 7016

The matt fine-texture surface in Anthracite grey combines a modern appearance with a resilient coating on the galvanised steel.

Proven BASIC quality Made in Germany

The combination of solid material selection, DIN EN 13724-compliant mail compartments and a montage-friendly construction makes the BASIC 385 a durable solution for daily use.

Equipment of the BASIC 385 mailbox system

Mailbox system

Design Wide, multi-column configuration
Number of mailboxes 6 individually usable mail compartments
Mailbox material Galvanised steel
Finish RAL 7016 Anthracite grey fine-texture matt
Rain cover / side cladding Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-texture matt
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Letter slot 35 × 265 mm, suitable for DIN C4 portrait
Deposit flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Replaceable nameplate below the letter flap
Standard Mailboxes in accordance with DIN EN 13724

Support posts and accessories

Support posts Round tube approx. 60 mm from stainless steel V2A 1.4301, brushed
Mounting options Optionally for screw fixing or for concreting in
Fixing Bolt anchors for screw fixing are not included; select suitable anchors separately to suit the foundation

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres of volume; depending on the variant 300 × 220 × 385 mm with approx. 25 litres of volume is also available.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Mounting by concreting in

For the freestanding system we recommend a suitably dimensioned concrete foundation. When concreting in, the stainless steel support posts must be aligned plumb and permanently anchored in the foundation. Foundation size and embedment depth must be matched to the ground conditions, system weight and local circumstances.

Screw fixing to a foundation

For screw fixing a level and load-bearing concrete foundation is required. Suitable bolt anchors or fixing materials must be chosen according to the substrate and the load on the system. For the BASIC-385-ST-R versions, bolt anchors are not part of the standard delivery scope.

Note on weather protection

Mail is best protected from moisture and dirt only when fully deposited and with the deposit flap closed. Protruding items may prevent the flap from closing completely. Under extreme weather conditions, moisture may enter the mailbox despite compliant construction.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of boxes	with 6 letterboxes
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Removal of mail	On the front

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	330.0
Width of letterbox system in mm	600.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	765.0
Depth in mm	435.0
Weight in kg	37
Delivery condition	Delivery is made in blocks; freestanding elements / mailbox delivered separately.


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen





More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618