3-unit stainless steel surface-mounted mailbox system Design BASIC Plus 385 XA 220 - RAL colour of your choice | ? Colour of your choice | 300x220x385 mm (WxHxD) - ???? Large 25 litres | with 3 mailboxes (1x3)



Product number 385XA220-3

Product description

Surface-mounted mailbox system BASIC Plus 385XA 220 for 3 households – 25 litres per compartment – RAL colour of choice

The BASIC Plus 385XA surface-mounted mailbox system for 3 households is a robust wall solution for apartment buildings, smaller residential complexes as well as office and medical practice properties. The balanced arrangement groups all mail compartments into a clearly structured and visually unified wall system.

The BASIC Plus mailbox system is manufactured entirely from V2A stainless steel and is powder-coated in the chosen RAL colour. The modular design is engineered for durability, easy installation and good spare-part availability.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm entry slot is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and a changeable nameplate located under the entry flap.

The advantages of the BASIC Plus 385XA 220 surface-mounted system at a glance

Rain canopy and side panels

Rain canopy and side panels combine the individual compartments into a closed surface-mounted system. The coordinated cladding provides a tidy front and a neat finish at the façade.

25 litres mail volume per compartment

The 300 × 220 × 385 mm (W × H × D) compartments each provide approx. 25 litres of volume. The 35 × 265 mm entry slot also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure assignment

The rubber lip damps the entry flap. Robust locks, two keys with key number and protected changeable nameplates ensure clear allocation of the individual compartments.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail simplifies installation; fixings with screws and wall plugs are included in the described version.

BASIC Plus in RAL colour of choice

V2A stainless steel forms the robust basis; the powder coating can be applied in the desired RAL colour to match the façade, front door and window profiles. BASIC Plus also stands for consistent use of V2A stainless steel, modular construction and directly available spare parts.

Equipment of the BASIC Plus 385XA 220 mailbox system

Mailbox system

Number of mailboxes 3 separately lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per mailbox
Material V2A stainless steel, powder-coated in RAL colour of choice
Finish Powder coating in RAL colour of choice
Standard DIN EN 13724

Mail and operation

Entry slot 35 × 265 mm, suitable for DIN C4 portrait
Entry flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Changeable nameplate beneath the entry flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain canopy Solid design matching the system
Mounting type Surface-mounted wall installation
Installation aid Mounting rail
BASIC Plus Modular design with directly available spare parts
Fixings Screws and wall plugs included; suitability for on-site wall construction must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be flat and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems, appropriate fixing solutions must be specified on site.

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the entry flap is closed. Protruding letters or magazines can prevent the flap from closing fully.

BASIC Plus construction

The BASIC Plus series consistently uses V2A stainless steel and a modular, installation-friendly construction. Spare parts for BASIC Plus systems are readily available.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	300.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	26
Delivery condition	Delivered fully assembled.


Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618






Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618