3-unit stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - stainless steel V2A | Right | 150mm depth | with 3 mailboxes (2x2) | Stainless steel, brushed



Product number 382XA-VA-3S-SP-150-R

Product description

3-unit stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - stainless steel V2A

High-quality surface-mounted mailbox for 3 households made in Germany by Briefkasten Manufaktur. The complete surface-mounted mailbox system is made of stainless steel V2A, brushed. The very high-quality workmanship and the well thought-out concept make this mailbox system one of our top sellers. A rain-drip edge for optimal water protection, a continuous rubber lip for quiet posting, the solid interchangeable nameplate, a practical mail retention bar and the very robust lock characterise this surface-mounted mailbox system.

Thanks to the construction, self-installation is straightforward. The mailbox system is prepared for uncomplicated complete installation; there is no need for time-consuming wall mounting of individual boxes. 3-unit surface-mounted mailbox system completely made of stainless steel V2A 1.4301, brushed.

The advantages at a glance

Stainless steel side cladding with rain hood

Side cladding and rain hood are made of stainless steel V2A, brushed, and complement the system as a structurally matched weather protection.

Generous mail slot

The slot measures 35 × 325 mm and is designed for DIN C4 in landscape orientation. The mailbox conforms to DIN EN 13724.

Quiet posting and comfortable retrieval

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The integrated flap damping with a rubber seal reduces impact noise during posting. The door opens from left to right. The mail retention bar holds items back during removal.

Integrated bell and intercom area

Bell/intercom section according to the selected configuration. A stainless steel bell push type 4 is used as the bell button. Optionally prepared with a speech grille for the installation of standard intercom systems or built-in speakers. (Intercom system / built-in speakers not included). An option with the Comelit Ultra video kit is also available.

Quality manufacturing and thoughtful construction

The system is manufactured at Briefkasten Manufaktur in Germany. The design is intended for uncomplicated self-installation.

Features and product details

Mailbox system

Number of mailboxes 3 separate mail compartments
Arrangement 2 × 2
Depth 150 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox finish Brushed
Bell/intercom section Bell/intercom section or bell box integrated

Mail and operation

Mail slot 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Mail flap Noise-damped by rubber seal
Door opening Opens from left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the mail flap
Mail retention bar Integrated for each mailbox

Installation and equipment

Installation type Surface-mounted
Rain-drip edge Integrated into the construction
Rain hood Made of stainless steel V2A, brushed
Side cladding Made of stainless steel V2A, brushed
Mounting materials For wall mounting incl. mounting rail and fasteners (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

The mail is optimally protected from moisture and soiling when fully inserted and with the mail flap closed. Protruding items may prevent the flap from closing completely.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixing must be matched to the weight of the unit and the existing wall structure.

Product properties

Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	710.0
Total width in mm	710.0
Depth in mm	100.0 | 150.0
Weight in kg	21
Delivery condition	Delivery is made pre-assembled/partially disassembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618