18-unit freestanding mailbox system Design BASIC 385-VA ST-R - stainless steel V2A, brushed | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 18 mailboxes | Stainless steel, brushed



Product number 385-VA-18

Product description

Freestanding 18-unit mailbox system BASIC 385 for 18 households – brushed stainless steel V2A

The BASIC 385 is designed as a freestanding mailbox solution for 18 households. Robust materials, front access operation and freedom of location make the system particularly suitable for larger apartment buildings, residential complexes and demanding commercial properties.

The system configuration is tailored to the respective number of households and, together with a rain roof and side cladding, forms a closed unit.

The letterboxes are made of weather-resistant stainless steel V2A 1.4301 and are finely brushed. A close-fitting side cladding with a rain roof unites the individual letterboxes into a single, enclosed system.

Each compartment features a slot measuring 35 × 265 mm for DIN C4 items in portrait orientation. A noise-damping rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox is supplied with two keys marked with a key number and a changeable nameplate located beneath the letter flap.

The benefits of the BASIC 385 at a glance

Solid stainless steel support posts

Round-tube support posts with approx. Ø 60 mm made of brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

Large letter slot to DIN EN 13724

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The slot measuring 35 × 265 mm is designed for DIN C4 items in portrait orientation. Larger envelopes can also be inserted without folding.

Quiet insertion and convenient retrieval

A noise-damping rubber lip reduces the impact of the letter flaps. Mail is retrieved from the front via doors that open from left to right.

Completely in brushed stainless steel

The stainless steel design combines letterboxes, cladding and support posts into a high-quality, low-maintenance overall system.

Proven BASIC quality Made in Germany

The combination of solid material selection, mail compartments compliant with DIN EN 13724 and an installation-friendly design makes the BASIC 385 a durable solution for daily use.

Equipment of the BASIC 385 mailbox system

Mailbox system

Design Article-specific system configuration
Number of letterboxes 18 separately usable compartments
Material of letterboxes Stainless steel V2A 1.4301
Finish Stainless steel V2A 1.4301, brushed
Rain roof / side cladding Stainless steel V2A 1.4301, brushed
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Slot 35 × 265 mm, suitable for DIN C4 portrait
Letter flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Changeable nameplate below the letter flap
Standard Mailboxes in accordance with DIN EN 13724

Support posts and accessories

Support posts Round tube approx. Ø 60 mm made of stainless steel V2A 1.4301, brushed
Installation methods Optionally for bolted installation or for casting into concrete
Fixing Bolt anchors for bolted installation are not included; select anchors suitable for the foundation separately

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres volume; depending on the variant, 300 × 220 × 385 mm with approx. 25 litres volume is also available.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Installation by casting into concrete

For the freestanding system we recommend a suitably dimensioned concrete foundation. When casting in place, the stainless steel support posts must be set plumb and permanently anchored in the foundation. Foundation size and embedment depth must be matched to ground conditions, system weight and local circumstances.

Bolted installation on a foundation

For bolted installation, a flat and load-bearing concrete foundation is required. Suitable anchor bolts or fixing elements must be selected to suit the substrate and system load. For the BASIC-385-ST-R versions, bolt anchors are not included in the standard scope of supply.

Note on weather protection

Mail is best protected from moisture and soiling only when fully inserted and with the letter flap closed. Protruding items can prevent the flap from closing completely. Under extreme weather conditions, moisture may enter the mailbox despite compliant construction.

Product properties

Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 18 letterboxes
Surface/colour	Brushed

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	900.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	1060.0
Depth in mm	435.0
Weight in kg	81
Delivery condition	Delivery is made in blocks; freestanding elements / mailbox delivered in separate parts.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618