4-unit (4x1) freestanding stainless steel mailbox system Design BASIC Plus 385XP ST-T - RAL colour of your choice | with 4 mailboxes (1x4) | ? Colour of your choice | 300x220x385 mm (WxHxD) - ???? Large 25 litres



Product number 385XP220-4S

Product description

Freestanding large-capacity mailbox system BASIC Plus 385XP ST-T for 4 households – 25 litres – S configuration

The freestanding BASIC Plus 385XP ST-T mailbox system for 4 households is an especially robust entrance solution for multi-family houses, smaller residential complexes and commercial properties. Four separately usable post compartments are combined into a clearly structured, durable overall system. This variant uses the series' S configuration and therefore offers an alternative geometry for different site and entrance situations.

The mailboxes are made of stainless steel V2A and are high-quality powder-coated in a RAL colour of your choice. Particularly noteworthy are the solid support elements made from anodised aluminium profile: they are also powder-coated, executed for very high stability and form an exceptionally robust base for the entire mailbox system. Stainless steel and solid aluminium combine durability with a clear, high-quality architectural appearance.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait orientation. A noise-damping rubber lip on the flap, front-side mail retrieval, a robust lock and the interchangeable nameplate ensure comfortable everyday use.

Benefits of the BASIC Plus 385XP ST-T system at a glance

Solid aluminium support elements

Solidly manufactured, anodised aluminium profiles form the particularly robust base of the system. The powder-coated profile construction is engineered for high stability and long-term outdoor use.

Extra-large 25-litre compartments

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The 300 × 220 × 385 mm mailboxes each offer approx. 25 litres of post volume. The 35 × 265 mm mail slot accepts DIN C4-format mail in portrait orientation.

Quiet insertion and robust locking

A rubber lip reduces impact noise at the flap. Robust locks, two keys per compartment and interchangeable nameplates are designed for everyday use.

Designed for high load capacity

The solid aluminium profiles form a torsion-resistant and load-bearing construction together with the modular mailbox system. This makes the 385XP particularly suitable for demanding multi-occupancy and commercial solutions.

BASIC Plus – built for high durability

The consistent combination of stainless steel V2A and solid aluminium profiles makes the 385XP an especially robust mailbox system. The modular construction simplifies installation, maintenance and the later replacement of individual components.

Equipment of the BASIC Plus 385XP ST-T mailbox system

Mailbox system

Number of mailboxes 4 separately lockable post compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Post volume Approx. 25 litres per mailbox
Mailbox material Stainless steel V2A, powder-coated in RAL colour of your choice
Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Post and additional functions

Flaps With noise-damping rubber lip
Mail retrieval Front-side
Keys 2 keys with key number per mailbox
Nameplate Solid interchangeable nameplate
Rain hood Closely fitting, robust design
Rain drainage Integrated rain drainage channels for improved water protection

Solid aluminium support elements

Support elements Solid anodised aluminium profile, powder-coated
Construction Executed to be particularly robust and load-bearing
Finish RAL colour matching the mailbox system
Mounting Freestanding installation on a suitable foundation
Side cladding Closely fitting design
BASIC Plus Modular, maintenance-friendly and designed for installation

Foundation and secure installation

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The solid aluminium support elements require a level and sufficiently load-bearing base or an appropriately dimensioned concrete foundation. Foundation size, fixing and alignment must be matched to the system weight, size, ground conditions and local loads.

Note on weather protection

The rain hood, closely fitting side cladding and rain drainage channels support weather protection. Post items must be fully inserted so that the flaps can close completely.

BASIC Plus – robust and modular

The BASIC Plus design relies on stainless steel V2A and solid aluminium profiles. The modular construction simplifies installation and the later replacement of individual components and is designed for a long service life.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of boxes	with 4 letterboxes
Name labelling	Nameplate
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301
Mounting type	Free-standing
Removal of mail	On the front
Boxes by volume	Large > 16 litres

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height in mm	1
Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	300.0
Overall height in mm	1600.0
Total width in mm	400.0
Depth in mm	435.0
Weight in kg	34
Delivery condition	Delivery is made in blocks, freestanding elements / mailbox delivered separately


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen






Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618