Design mailbox column GRIMM - Colour of your choice - GIRA System 106 - 3-fold prepared on the right | Right | Prepared for Gira System 106 | ? Colour of your choice



Product number 562-STLPK-SPR-SF-GI106V

Product description

Design Mailbox Parcel Column GRIMM with GIRA System 106 - Triple Prepared – The Premium Solution for Mail & Packages

The Design Mailbox Parcel Column GRIMM combines modern design, high-quality craftsmanship, and maximum flexibility. Made from **2 mm stainless steel V2A 1.4301** and powder-coated in a **colour of your choice**, the column impresses with its timeless elegance and extreme robustness. Thanks to the **fully welded construction**, there are no visible screws or rivets, which creates a particularly noble appearance. The **mailbox and parcel box module** is also installed with invisible screws – for an elegant look of the highest level.

Particularly practical: the modules can be replaced even after many years. This ensures that your mailbox parcel column remains flexible and future-proof at all times. This model is manufactured by the **Mailbox Manufactory in Bad Salzuflen** – quality work "Made in Germany".

A special feature of the system is the proven mechanical parcel lock with T-handle, which enables independent delivery: the courier places the parcel in the easily accessible compartment and locks it with a simple click. The compartment remains locked until the authorised user opens it with their key. A clever solution – without electronics, without an app, but with maximum security. Whether DHL, UPS, DPD, GLS, Hermes, or TNT – any parcel service can use the parcel box. This way, you receive your shipments securely and conveniently at any time, even when you are not at home.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The GRIMM mailbox is not only a visual highlight but also excels in functionality and quality. Thanks to the innovative push-key lock, the mailbox can be easily and comfortably operated with one hand. Open the door with a push and close it without using a key. The lock is optimally protected from weather influences. Additionally, the mailbox features an intelligent retrieval system: the door opens from top to bottom, ensuring the mail stays securely in the box and does not fall out unexpectedly. The front loading is also comfortable, with high-quality axle dampers ensuring a quiet closure of the mail slot. The elegant, flush design of this mailbox with GIRA System 106 allows for the installation of up to three system modules (not included in delivery) in a stable and flexible mounting system. For the installation of the Gira components, the optional surface-mounted housing (5503910) is required. Thanks to the well-thought-out mounting system, the GIRA modules can be easily exchanged or expanded at any time. This ensures that your system remains flexible, modern, and future-proof.

Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creases. The GRIMM mailbox excels with its lasting quality, timeless design, and thoughtful functionality.

Mailbox Module with Functional Box – Comfort and Functionality

- Made from 2 mm stainless steel V2A 1.4301, powder-coated in the chosen colour.
- The Gira System 106 can be seamlessly integrated into the flush design. The preparation is intended for 3 GIRA 106 system modules. The modules can be installed flush with the simple mounting system (surface-mounted housing 5503910 required!). WITHOUT GIRA system components!
- Innovative push-key lock including 2 keys with key number, easy closure without a key, optimally protected from weather influences.
- The retrieval door with opening limiter opens from top to bottom to prevent the mail from falling out.
- Front loading with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724 compliant mailbox, insertion size (3.5 cm x 32.5 cm) for C4 horizontal – even large letters remain intact. Additional retrieval protection in stainless steel integrated.
- Optimal weather protection through set-back bezel.
- Double box system: The bezel can be comfortably installed after construction is complete and can be changed at any time.

Parcel Box Module – Safe and Generous

- Made from 2 mm stainless steel V2A 1.4301, powder-coated in the chosen colour.
- Parcel volume: 130 litres – ideal for large shipments.
- Maximum parcel dimensions: 505 × 655 × 340 mm (W × H × D).
- Front parcel retrieval door 510 × 660 mm, opens from left to right.
- Door equipped with durable stainless steel hinges.
- Innovative T-handle parcel lock with snap closure.
- Including 2 keys with key number.
- Icon "PACKAGE" as stainless steel laser engraving.

Construction & Details

- Fully welded stand column made of 2 mm stainless steel V2A 1.4301, powder-coated in the chosen colour.
- Construction height: 1.70 m.
- Invisible cable routing possible through the body.
- Base plate made of stainless steel (10 mm thick), concealed by an elegant cover bezel.
- No visible screws or rivets – seamless design.
- Modules are replaceable even after years – maximum future security.

Important Information:

To achieve optimal water protection for your mail, the mailbox or mailbox system should ideally be positioned under a canopy.

The mail is only protected from water if it is completely placed in the box and the mail flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GRIMM
Functions	Camera, Intercom, Parcel compartment
Functional box prepared for manufacturer	GIRA
Number of boxes	with 1 parcel box, with 1 letterbox
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Removal of mail	On the front
Boxes by volume	Large > 16 litres

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	Mailbox 460.0 | 500.0 - Parcel Box 710.0 | 750.0
Width of single box in mm	Mailbox 560.0 | 600.0 - Parcel Box 560.0 | 600.0
Capacity in litres	Letterbox 26.0 | Parcel Box 130.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Overall height in mm	1700.0
Total width in mm	Casing 640.0 | Base plate 730.0
Depth in mm	Body 352.0 | Base Plate 442.0
Weight in kg	95
Delivery condition	Delivery is provided assembled.

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618











Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618