23-unit 8x3 surface-mounted mailbox system Design BASIC 385A- VA AP - stainless steel V2A, brushed | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | Stainless steel, brushed | with 23 mailboxes



Product number 385A-VA-23W

Product description

Wide surface-mounted mailbox system BASIC 385A for 23 units – brushed stainless steel V2A

The BASIC 385A surface-mounted mailbox system for 23 units is a robust wall-mounted solution for larger apartment buildings, residential complexes and commercial properties. The wider W-design distributes the mail compartments across a multi-column front and keeps the overall system proportionally lower and clearer.

The mailbox system is made from high-quality stainless steel V2A with a brushed finish. Mailboxes, cladding and rain canopy form a timeless, low-maintenance and robust stainless steel unit.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and provides approx. 12 litres of volume. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys bearing a key number and an interchangeable nameplate beneath the mail flap.

The advantages of the BASIC 385A surface-mounted unit at a glance

Rain canopy and side panels

Rain canopy and side panels combine the individual compartments into a closed surface-mounted unit. The coordinated cladding provides a calm front and a neat finish on the façade.

DIN C4 insertion and 12 litres volume

The 300 × 110 × 385 mm (W × H × D) compartments each offer approx. 12 litres. The 35 × 265 mm mail slot also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the insertion flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear allocation of the individual compartments.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade installation. A mounting rail facilitates installation; fixings with screws and wall plugs are included in the described configuration.

Completely in brushed stainless steel

The V2A finish combines a high-quality metal surface with a robust construction for durable surface-mounted mailbox systems. The unit is manufactured in Germany at the Briefkasten Manufaktur.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 23 separately lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per compartment
Material Stainless steel V2A 1.4301, brushed
Surface Stainless steel V2A 1.4301, brushed
Standard DIN EN 13724

Mail and operation

Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per compartment
Nameplate Interchangeable nameplate beneath the mail flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain canopy Robust, matching design
Mounting type Surface-mounted wall installation
Mounting aid Mounting rail
Fixings Screws and wall plugs included; check suitability for the on-site wall structure
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall structure; for other substrates or external thermal insulation composite systems, appropriate fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the insertion flap is closed. Protruding letters or magazines may prevent the flap from closing completely.

Product properties

Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Number of boxes	with 23 letterboxes
Removal of mail	On the front
Surface/colour	Brushed
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	900.0
Total width in mm	908.0
Depth in mm	435.0
Weight in kg	105
Delivery condition	Delivered in a partially disassembled state

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618