3-unit (3x1) surface-mounted mailbox system BASIC - Edition NELLY - bi-colour VA - RAL 7016 anthracite grey | with 3 mailboxes (3x1)



Product number 382A-7016VA-BS-3X1

Product description

3-unit surface-mounted mailbox system BASIC – Edition NELLY – 3 × 1 – BI-Color stainless steel / RAL 7016 anthracite grey

"Everything begins with longing." – Nelly Sachs

The Edition NELLY combines the proven BASIC mailbox technology with a distinctly more individual appearance. The mailbox body is made of galvanised steel and powder-coated in RAL 7016 anthracite grey fine-textured matt, while the mail slot flaps are made of stainless steel V2A 1.4301 with a 240-grit brushed finish. This deliberate BI-Color contrast appears modern and high-quality and can be combined with many front doors, windows and façades. As a surface-mounted version with 3 mailboxes (3 × 1), NELLY is not only intended for mail receipt but also serves as a neatly designed element of the entrance area. The flush-looking side cladding with a rain protection canopy visually frames the unit and also provides the area for the characteristic NELLY labelling panel.

The special advantages of Edition NELLY

NELLY labelling panel – house number and street name

The distinctive NELLY detail is the applied labelling panel on the rain protection canopy. It is produced with your individual laser engraving and turns the mailbox system into a personalised element of the entrance area – house number and street name are clearly integrated into the overall design.

BI-Color: RAL 7016 meets brushed stainless steel

The mailbox body is made of galvanised steel and powder-coated in RAL 7016 anthracite grey fine-textured matt. The mail slot flaps, by contrast, are stainless steel V2A 1.4301 with a 240-grit brushed finish. The rain protection canopy and side cladding are also made of stainless steel V2A and powder-coated.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Large aperture for DIN C4

The 35 × 325 mm insertion aperture is designed for DIN C4 in landscape format. Larger letters can also be posted without being bent. The mailbox version complies with DIN EN 13724.

Quiet operation in everyday use

The brushed stainless steel mail slot flaps are fitted with a noise-dampening rubber seal. A mail-retaining bar supports controlled removal, while the doors open from left to right.

Solid 1.5 mm stainless steel cladding

The rain protection canopy and side cladding are made of 1.5 mm thick stainless steel V2A 1.4301 and powder-coated. This gives the surface-mounted unit a neatly framed, robust construction and additionally protects the mailbox unit in everyday use.

Equipment and technical features

Material and mailbox

Version 3 mailboxes (3 × 1)
Mailbox body Galvanised steel; RAL 7016 anthracite grey fine-textured matt
Mail slot flaps Stainless steel V2A 1.4301, 240-grit brushed finish
Insertion aperture 35 × 325 mm, DIN C4 landscape
Standard DIN EN 13724

NELLY design and operation

Labelling Individual laser engraving in BML Lasercut lettering
Nameplate Interchangeable nameplate under the mail slot
Mail-retaining bar Integrated for each mailbox
Mail removal From the front
Door opening From left to right
Locking system Depending on the chosen product configuration

Installation and construction

Type of installation Surface-mounted wall installation
Cladding Rain protection canopy + side cladding made of 1.5 mm stainless steel V2A 1.4301, powder-coated
Labelling panel Applied panel on the rain protection canopy with individual laser engraving
Installation Mounting rail including fixings for wall installation
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Mail items are best protected from moisture and dirt when fully inserted and the mail flap is closed. Protruding items may prevent the flap from closing completely.

Note on wall installation

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixings must be appropriate for the existing wall construction and the weight of the unit.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
House number	House number as laser engraving
Removal of mail	On the front
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	447.0
Width of letterbox system in mm	1079.0
Total width in mm	1079.0
Depth in mm	100.0 + 24.0
Weight in kg	23
Delivery condition	Delivery is supplied pre-assembled/partially disassembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618