6-unit 2x3 stainless-steel surface-mounted mailbox system Design BASIC Plus 385XA AP - RAL colour of your choice | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | ? Colour of your choice | with 6 letterboxes (2x3)



Product number 385XA-6W

Product description

Wide surface-mounted mailbox system BASIC Plus 385XA for 6 households – RAL colour of choice

The BASIC Plus 385XA surface-mounted mailbox system for 6 households is a robust wall solution for apartment blocks, small residential developments as well as office and medical practices. The wider W configuration distributes the mailboxes across a multi-column front and maintains a relatively low, tidy overall appearance.

The BASIC Plus mailbox system is consistently made from stainless steel V2A and is powder-coated in the selected RAL colour. The modular construction is designed for longevity, easy installation and good Spare parts availability.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm aperture is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate located under the flap.

The advantages of the BASIC Plus 385XA surface-mounted system at a glance

Rain canopy and side panels

The rain canopy and side panels bring the individual mailboxes together into a single, continuous surface-mounted system. The coordinated cladding provides a calm front and a neat finish at the façade.

DIN C4 aperture and 12 litre volume

The 300 × 110 × 385 mm (W × H × D) mail compartments each offer approx. 12 litres of volume. The 35 × 265 mm aperture also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet posting and secure allocation

The rubber lip damps the flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear individual use of each mailbox.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade mounting. A mounting rail facilitates installation; fixing materials with screws and wall plugs are included with the described configuration.

BASIC Plus in RAL colour of choice

Stainless steel V2A forms the robust base; the powder coating can be applied in the desired RAL colour to match the façade, front door and window profiles. BASIC Plus additionally stands for consistent V2A usage, modular construction and directly available Spare parts.

Equipment of the BASIC Plus 385XA mailbox system

Mailbox system

Number of mailboxes 6 separately lockable mail compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material Stainless steel V2A, powder-coated in RAL colour of choice
Finish Powder coating in RAL colour of choice
Standard DIN EN 13724

Mail and operation

Aperture 35 × 265 mm, suitable for DIN C4 portrait
Flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain canopy Solid, matching the installation
Type of mounting Surface-mounted wall installation
Installation aid Mounting rail
BASIC Plus Modular construction with directly available Spare parts
Fixings Screws and wall plugs included; suitability for on-site wall construction must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall structure; for other substrates or external thermal insulation systems, appropriate fixing solutions must be determined on site.

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

BASIC Plus construction

The BASIC Plus series consistently relies on stainless steel V2A and a modular, installation-friendly construction. Spare parts are directly available for BASIC Plus systems.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of boxes	with 6 letterboxes
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	330.0
Width of letterbox system in mm	600.0
Total width in mm	608.0
Depth in mm	435.0
Weight in kg	35
Delivery condition	Delivered fully assembled.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618