6-unit surface-mounted mailbox system Design BASIC Plus 385 XA 220 - Stainless steel - RAL colour of your choice | 300x220x385 mm (WxHxD) - ???? Large 25 litres | BI-Color VA brushed | ? Colour of your choice | with 6 letterboxes (2x3)



Product number 385XA220-RALVA-6S

Product description

Narrow surface-mounted mailbox system BASIC Plus 385XA 220 for 6 households – 25 litres per compartment – BI-Color RAL / Stainless steel

The BASIC Plus 385XA surface-mounted mailbox system for 6 households is a robust wall solution for apartment buildings, smaller residential complexes as well as office and medical practice properties. The vertically organised S configuration reduces horizontal space requirements and makes particularly efficient use of the available wall height.

The BASIC Plus BI-Color version combines powder-coated stainless steel V2A in a RAL colour of your choice with brushed stainless steel accents. This creates an individual, high-quality material combination for modern façades.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait orientation. The doors open from left to right; two keys with key number and a changeable nameplate beneath the mail flap are provided per mailbox.

The advantages of the BASIC Plus 385XA 220 surface-mounted system at a glance

Rain hood and side cladding

The rain hood and side panels unite the individual compartments into a closed surface-mounted unit. The coordinated cladding provides a calm front and a neat finish at the façade.

25 litres volume per compartment

The 300 × 220 × 385 mm (W × H × D) compartments each offer approx. 25 litres of volume. The 35 × 265 mm mail slot also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the mail flap. Robust locks, two keys with key number and protected changeable nameplates ensure clear allocation of the individual compartments.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade installation. A mounting rail simplifies installation; fixing material with screws and wall plugs is included in the described configuration.

BI-Color with RAL and stainless steel

The combination of a freely selectable RAL powder coating and brushed stainless steel creates deliberate contrasts and emphasises the high-quality BASIC Plus construction. BASIC Plus also stands for consistent use of V2A stainless steel, modular construction and readily available spare parts.

Equipment of the BASIC Plus 385XA 220 mailbox system

Mailbox system

Number of mailboxes 6 individually lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per compartment
Material Stainless steel V2A in BI-Color version: RAL powder coating with brushed stainless steel accents
Surface finish BI-Color: RAL colour of your choice / brushed stainless steel V2A
Standard DIN EN 13724

Mail and operation

Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Mail flaps With noise-damping rubber lip
Mail removal From the front
Opening direction From left to right
Keys 2 keys with key number per compartment
Nameplate Changeable nameplate beneath the mail flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain hood Solid, matching design
Mounting method Surface-mounted wall installation
Installation aid Mounting rail
BASIC Plus Modular design with readily available spare parts
Fixing material Screws and wall plugs included; suitability for on-site wall installation must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they suit the existing wall construction; for other substrates or external thermal insulation composite systems, suitable fixing solutions must be determined on site.

Note on weather protection

Post is best protected from moisture and dirt only when items are fully inserted and the mail flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

BASIC Plus construction

The BASIC Plus series consistently relies on stainless steel V2A and a modular, installation-friendly construction. Spare parts for BASIC Plus systems are directly available.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of boxes	with 6 letterboxes
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	600.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	41
Delivery condition	Delivered partly disassembled.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618