Designer through-wall mailbox GOETHE MDW - RAL colour of your choice - Doorbell-intercom unit - CUSTOMISED | 390-560mm depth



Product number 215-MDW-1-SP-IND-560

Product description

Design through-wall letterbox GOETHE MDW - RAL colour of your choice - Bell–intercom module - CUSTOMISABLE

The modern GOETHE through-wall letterbox with bell–intercom module is ideal for a sophisticated entrance area. Its straight-lined design gives this letterbox a particularly elegant appearance. With a variable shaft length between 300 mm and 390 mm or 390 mm and 560 mm, this letterbox can be used in almost any masonry. The individually configurable bell–intercom module is available with a flush-mounted doorbell button, a nameplate or inscription in combination with your desired intercom preparation (built-in loudspeaker not included) and/or camera preparation.

The dimensions of the individual compartments provide a capacity of approx. 24–44 litres, and the large inlet ensures that DIN C4 envelopes and magazines — or mail accumulated during an absence of several days — are not creased. Thanks to the drip edge, the mail inside is optimally protected from the weather. The inlet flap is fitted with high-quality pivot dampers, guaranteeing quiet closing and preventing disruptive rattling caused by the weather.

The letterbox systems of the GOETHE collection are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy spare-part assembly and straightforward self-installation. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the design, self-installation is uncomplicated.

Protected utility model under DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality through-wall letterbox made entirely from stainless steel.
- Shaft made of stainless steel 1.4016 (non-rusting magnetic stainless steel), plain (uncoated).
- Body made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of your choice.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- The letterbox complies with DIN/EN 13724. Inlet size (3.5 cm x 36.0 cm) for C4 landscape; large letters fit without folding.
- Letter slot & retrieval door made of stainless steel V2A 1.4301, powder-coated in RAL colour of your choice.
- Letters are inserted and retrieved from the front. Inlet flap with high-quality pivot dampers for very quiet mail insertion.
- Retrieval door opens from top to bottom, preventing the mail from falling towards you.
- Optional house number inscription approx. 60–80 mm high.
- Functional box (W x H 400 x 200 mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of your choice.
- 8–12 V DC short-stroke doorbell button with LED ring illumination (blue, white, red or green). The illumination of the doorbell button cannot be powered via the control unit; it must be connected to an additional 8–12 V DC power supply.
- Optionally interchangeable stainless-steel nameplate with laser engraving, plexiglass nameplate, or illuminated direct inscription.
- An optional 8–12 V DC short-stroke illuminated button with pictogram is available.
- Preparation (built-in loudspeaker not included) for an intercom is possible. Optionally with a universal adapter for all common built-in loudspeakers.
- Optional preparation (camera not included) for a camera.
- Plaster cover frame made from stainless-steel angle profile 25 x 58 mm, powder-coated in RAL colour.
- Variable shaft length 300–390 mm or 390–560 mm. External dimensions of the letter-through shaft W 380 mm x H 180 mm.
- External dimensions front W 450 mm x H 450 mm; rear W 450 mm x H 250 mm.

Important information:

Camera or intercom preparation

The intercom systems must be connected by an electrical installer. For planning, installation and commissioning, please contact the electrical installer of your choice.

Water protection

To ensure optimal protection of your mail from water, the letterbox or letterbox system should, where possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the inlet flap is closed. Partially inserted mail allows moisture and dirt to enter the letterbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a valid reason for complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Number of bell push buttons	1 button
Functions	Light button, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND, ESENTA
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving, House number as laser cut, illuminated
Name labelling	Laser-engraved , Illuminated laser-cut engraving
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Wall throw-through
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	200.0
Width of single box in mm	400.0
Capacity in litres	24.0 - 32.0 | 32.0 - 44.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	360.0
Overall height in mm	recommended 1400.0 - 1600.0
Total width in mm	450.0
Depth in mm	BK 300.0 - 390.0 | BK 390.0 - 560.0 | FK 100.0
Weight in kg	21
Delivery condition	Delivered partly assembled


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing






Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618