# 11-unit freestanding mailbox Design BASIC 385P ST-T with doorbell box - stainless steel, RAL 7016 anthracite | Left | BI-Color brushed stainless steel | RAL 7016 anthracite grey | with 11 mailboxes



**Product number** 385P-7016VA-11S-SP-L

## Product description

## Freestanding mailbox system BASIC 385P with bell/intercom module on the left for 11 units – BI-Colour stainless steel / RAL 7016 – narrow version

The freestanding BASIC 385P mailbox system for 11 units combines 11 separately usable mail compartments with an integrated bell function box. This brings mail reception, doorbell buttons and provision for a compatible door communication system together in a robust, visually cohesive entrance solution for larger apartment buildings, residential complexes and commercial properties. In this variant, the bell/intercom module is positioned to the left of the mailbox system.

The mailbox bodies are made of galvanised steel and are powder-coated in RAL 7016 anthracite grey with a fine structure matt finish. Brushed stainless steel letter flaps provide a high-quality BI-Colour accent. Side cladding and rain hood are made of stainless steel V2A and are powder-coated to match in RAL 7016. Particularly distinctive are the solidly manufactured support posts made from anodised aluminium profile, which are also coated in anthracite grey and give the system a secure, very robust stand.

Each of the 11 mail compartments has approximately 12 litres of volume. The 35 × 265 mm letter aperture is designed for DIN C4 items in portrait orientation. A noise-damping rubber lip reduces the impact noise of the letter flap. Mail is retrieved from the front; the retrieval doors open from left to right. Each mailbox is supplied with two keys with key number and a changeable nameplate beneath the letter flap.

## The advantages of the BASIC 385P mailbox system at a glance

### Bell function box integrated on the left

The system combines 11 mailboxes with 11 stainless steel bell buttons and a speaker cut-out with a universal adapter. This creates a central, tidy solution for mail and visitor communication.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

### Solid aluminium support posts

Solidly manufactured, anodised aluminium profiles form the stable base of the freestanding system. The powder-coated construction combines high load-bearing capacity with a durable exterior finish for outdoor use.

### DIN C4 aperture with 12-litre volume

Each mailbox offers approx. 12 litres of mail volume. The 35 × 265 mm letter aperture accepts DIN C4 items in portrait orientation without larger envelopes needing to be unnecessarily folded.

### Prepared for door communication

The speaker cut-out with universal adapter is prepared for many commercially available built-in speakers.

### BI-Colour stainless steel / RAL 7016

Brushed stainless steel letter flaps create a high-quality contrast to the anthracite grey mailbox bodies. The robust combination of materials combines modern aesthetics with durable everyday practicality.

## Equipment of the BASIC 385P mailbox system

### Mailbox system

**Number of mailboxes** 11 separately usable mail compartments
**Mailbox dimensions** 300 × 110 × 385 mm (W × H × D) per compartment
**Mail volume** Approx. 12 litres per mailbox
**Material** Galvanised steel; side cladding and rain hood made of stainless steel V2A
**Finish** BI-Colour: RAL 7016 anthracite grey with brushed stainless steel letter flaps
**Letter aperture** 35 × 265 mm, suitable for DIN C4 portrait
**Standard** Mailboxes conforming to DIN EN 13724

### Bell and intercom module

**Bell function box** Galvanised steel, powder-coated to match
**Position** Left
**Bell buttons** 11 round stainless steel bell buttons Type 4
**Speaker cut-out** With universal adapter for commercially available built-in speakers
**Nameplate** Crush-proof and impact-resistant

### Solid aluminium support posts

**Support posts** Solidly manufactured, anodised aluminium profile
**Coating** Powder-coated in RAL 7016 anthracite grey
**Mounting methods** Available as bolted mounting or concreting-in
**Bolted mounting** Support posts selectable in 1200 or 1600 mm
**Concreting-in** Support posts selectable in 1600 or 2000 mm
**Delivery condition** Support posts and mailbox system delivered in assembly-friendly sections
**Manufacture** Made in Germany by Briefkasten Manufaktur Lippe

**Note on the bell/intercom module**

The universal adapter is suitable for many commercially available built-in speakers. Intercom systems and/or built-in speakers, power supply and cabling are not part of the described standard equipment and must be provided to suit the planned system.

#### Mounting on a foundation

For bolted mounting, a level and sufficiently load-bearing foundation is required. Fixings must be selected to suit the foundation, the system weight and the local installation situation.

#### Mounting by concreting in

For the concreting-in version, the extended aluminium support posts are anchored vertically in a sufficiently dimensioned concrete foundation. Foundation size and embedment depth must be matched to ground conditions, system dimensions and local loads.

#### Note on weather protection

The rain hood, close-fitting side cladding and rain drainage channels support weather protection. Mail items must be fully inserted so that the letter flaps can close completely. Under extreme weather conditions, slight moisture ingress may occur despite standard-compliant construction.

## Product properties

| | |
|---|---|
| **Material** | Steel, galvanised, Aluminium AlMg3 W19, Stainless steel V2A 1.4301 |
| **Series** | BASIC |
| **Number of bell push buttons** | 11 buttons |
| **Functions** | Light button, Intercom |
| **Functional box prepared for manufacturer** | GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit |
| **Boxes by volume** | Normal > 10 litres |
| **Name labelling** | Nameplate |
| **Mounting type** | Free-standing |
| **Surface/colour** | RAL 7016 anthracite grey, Brushed |
| **Removal of mail** | On the front |
| **Number of boxes** | with 11 letterboxes |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimensions

| | |
|---|---|
| **Height of single box in mm** | 110.0 |
| **Width of single box in mm** | 300.0 |
| **Capacity in litres** | 12 |
| **Height of letterbox slot in mm** | 35.0 |
| **Width of letter slot in mm** | 265.0 |
| **Overall height in mm** | 1200.0 \| 1600.0 |
| **Total width in mm** | 1000.0 |
| **Depth in mm** | 435.0 |
| **Weight in kg** | 83 |
| **Delivery condition** | Delivery is in blocks; stand elements / mailbox are supplied separately. |


### Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618