3-unit stainless steel freestanding mailbox Design BASIC Plus 385 220 X ST R - stainless steel V2A | 300x220x385 mm (WxHxD) - ???? Large 25 litres | Stainless steel, brushed | with 3 mailboxes (1x3)



Product number 385XR220-VA-3

Product description

Stainless-steel freestanding mailbox system BASIC Plus 385 220 X ST-R for 3 households – V2A brushed

The BASIC Plus 385X ST-R freestanding mailbox system for 3 households is a high-quality freestanding solution for smaller multi-family houses, homes with a granny flat and office or practice buildings. The balanced multi-unit arrangement uses width and height efficiently and results in a calm, clearly structured front.

Mailboxes and upright posts are made from stainless steel V2A 1.4301 in a brushed finish. The uniform stainless-steel surface appears high-quality and timeless while being low-maintenance and durable for daily outdoor use.

Each mailbox offers a volume of approx. 25 litres. The 35 × 265 mm insertion opening is designed for DIN C4 items in portrait orientation. A sound-dampening rubber lip on the mail flap, front access to the mail and robust doors that open from left to right ensure practical everyday operation.

The advantages of the BASIC Plus 385X ST-R system at a glance

Solid stainless-steel upright posts

Ø 60 mm sturdy upright posts made from brushed stainless steel V2A 1.4301 provide a stable base for the freestanding mailbox system. The robust construction is designed for permanent use at the property entrance.

25 litres mail volume per mailbox

The 300 × 220 × 385 mm (W × H × D) mail compartments each provide approx. 25 litres of volume. The 35 × 265 mm insertion opening also accepts larger DIN C4 mail items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

Rubber lips dampen the mail flaps. Each compartment features a robust lock, two keys with key number and a protected changeable nameplate beneath the mail flap.

Bolted installation or embedding in concrete

Depending on the version, the stainless-steel upright posts are either bolted to a load-bearing foundation or permanently embedded in concrete. This allows the system to be mounted to suit the site-specific conditions.

Completely in brushed stainless steel

The brushed V2A version unites mailboxes and upright posts into a uniform, high-quality stainless-steel system. BASIC Plus stands for modular construction, good spare parts supply and German quality manufacturing.

Equipment of the BASIC Plus 385X ST-R mailbox system

Mailbox system

Number of mailboxes 3 separately lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per mailbox
Material Stainless steel V2A 1.4301, brushed
Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Standard Mailboxes conforming to DIN EN 13724

Mail and operation

Mail flaps With sound-dampening rubber lip
Mail retrieval Front access
Door opening Opens from left to right
Keys 2 keys with key number per mailbox
Nameplate Changeable nameplate beneath the mail flap
Cladding Tightly fitting side cladding and solid rain canopy

Upright posts and installation

Upright posts Ø 60 mm stainless steel V2A 1.4301, brushed
Mounting options Optional for bolted installation or embedding in concrete
Overall height Depends on selected upright post version
Base material Consistent use of stainless steel V2A
Construction Modular and assembly-friendly design
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Installation of the freestanding system

For bolted installation a level, sufficiently load-bearing foundation is required. For the version intended for embedding in concrete, the upright posts must be anchored plumb and permanently in a suitably dimensioned concrete foundation. Fixing and the foundation must be matched to the system weight, ground conditions and local circumstances.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and contamination only when items are fully inserted and the mail flaps are closed. Protruding letters or magazines can prevent the flaps from closing completely.

BASIC Plus construction and spare parts

The BASIC Plus series is modular and assembly-friendly. The consistent use of stainless steel V2A supports long service life; spare parts for BASIC Plus systems are available directly.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Name labelling	Nameplate
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Number of boxes	with 3 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	300.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	28
Delivery condition	Delivery is made in blocks; freestanding elements / mailbox delivered in separate parts.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618