2 x 2 stainless steel flush-mounted letterbox BASIC Plus 382XU UP with bell box - RAL of your choice | 100mm depth | ? Colour of your choice | with 2 mailboxes | Centre

Product number 382XU-2-SP-M-100



Product description

2-unit 1x2 stainless steel flush-mounted letterbox BASIC Plus 382XU UP with doorbell panel - RAL colour of your choice

Modern 2-compartment flush-mounted letterbox with doorbell panel for intercom (optional camera) - made in Germany by Briefkasten Manufaktur.

The letterbox is made entirely of stainless steel V2A, powder-coated in a RAL colour. The very high-quality workmanship and well thought-out concept make this flush-mounted letterbox one of our bestsellers. A rain drip edge for optimal water protection, a continuous rubber lip for quiet insertion, a solid interchangeable nameplate, a practical post retention bracket and a very robust lock characterise this flush-mounted letterbox. The flush-mounted frame made of stainless steel V2A is equipped with a foam rubber seal and guarantees very high durability.

The letterbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high longevity and sustainability. The construction has been developed by our own engineers with regard to high flexibility and modularity, easy spare-part assembly and straightforward self-installation. Spare parts are directly available for all BASIC Plus systems.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- **2-unit flush-mounted letterbox made entirely of stainless steel V2A 1.4301, powder-coated in the RAL colour of your choice**
- The system is manufactured at Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape; large envelopes fit without bending.
- Insertion flaps with sound-dampening rubber seal for very quiet insertion of post.
- The doors open from left to right.
- Includes 2 keys with key number, interchangeable nameplate (Type 2) under the insertion flap and post retention bracket per compartment.
- Large capacity with optional mailbox depth +50 mm = approx. 17 l. Suitable for businesses and households with very high mail volumes.
- **Doorbell panel made of stainless steel V2A, powder-coated in the RAL colour of your choice**
- Intercom cut-out with universal adapter. (Intercom system/flush-mounted speaker not included). Optionally also available without intercom cut-out.
- The universal adapter is suitable for all common flush-mounted speakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit, etc.).
- Round stainless steel doorbell push-button Type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP54 (press-force limitation).
- Anti-vandalism - The nameplate (Type 1) is impact-resistant and shockproof; the plastic is flame-retardant.
- Plaster cover frame made from stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.

Important information

Camera or intercom preparation

Intercom systems must be connected by a qualified electrician. Please contact the electrician of your choice for planning, installation and commissioning.

Water protection

Post is only protected against moisture and dirt when fully inserted and with the flap closed. Under certain extreme weather conditions, water may still enter (according to DIN EN 13724 up to 1 cm³). This does not constitute grounds for a complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	1 button, 2 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Number of boxes	with 2 letterboxes
Removal of mail	On the front
Mounting type	Flush-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	810.0
Width of letterbox system in mm	405.0
Total width in mm	405.0
Depth in mm	100.0 | 150.0
Weight in kg	16
Delivery condition	Delivered fully assembled.


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618