3-unit 2x2 stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with doorbell box - RAL colour of your choice | Left | 100mm depth | ? Colour of your choice | with 3 mailboxes (2x2)



Product number 382XA-3-SP-100-L

Product description

3-unit 2×2 stainless-steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - RAL colour of your choice

High-quality surface-mounted mailbox for 3 households - Made in Germany by Briefkasten Manufaktur. The complete surface-mounted mailbox system is made of stainless steel V2A, powder-coated in a RAL colour. The very high-quality workmanship and the well-thought-out concept make this mailbox system one of our top sellers. A rain runoff edge for optimal water protection, a continuous rubber lip for quiet insertion, a robust interchangeable nameplate, a practical mail retainer and a very sturdy lock characterise this surface-mounted mailbox system.

The side cladding with an overhanging rain hood made of stainless steel V2A offers optimal protection against the weather and guarantees very high durability. The high-quality doorbell panel with stainless-steel bell buttons and anti-vandal nameplates can optionally be prepared with a speech grille for the installation of standard intercom systems or built-in speakers. The mailbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, easy spare-part assembly and uncomplicated self-installation.

Spare parts for all BASIC Plus systems are available directly. Thanks to the construction method, self-installation is straightforward. The mailbox system is prepared for uncomplicated complete installation; there is no need for elaborate wall mounting of individual boxes. 3-unit surface-mounted mailbox system with mailboxes made of stainless steel V2A, powder-coated in a RAL colour.

Key benefits at a glance

Stainless-steel side cladding with rain hood

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Side cladding and rain hood are made of stainless steel V2A, powder-coated in a RAL colour of your choice and complement the system as a structurally coordinated weather protection.

Generous letter slot

The insertion opening measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox design complies with DIN EN 13724.

Quiet insertion and convenient retrieval

The integrated flap damping with rubber seal reduces impact noise during insertion. The door opens from left to right. The mail retainer holds items back during retrieval.

Integrated bell and intercom area

Bell box made of weather-resistant V2A stainless steel 1.4301, powder-coated in a RAL colour. The stainless-steel bell push Type 4 is used. Optionally prepared with a speech grille for the installation of standard intercom systems or built-in speakers. (Intercom system / built-in speaker not included). An option with the Comelit Ultra video complete set is also available.

Quality fabrication and well-thought-out construction

The system is manufactured at Briefkasten Manufaktur in Germany. The construction is designed for uncomplicated self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 3 separate mail compartments
Arrangement 2 × 2
Depth 100 mm
Mailbox material Stainless steel V2A
Mailbox surface Powder-coated in RAL colour of your choice
Bell / intercom section Bell box made of weather-resistant V2A stainless steel 1.4301, powder-coated in RAL colour

Mail and operation

Insertion opening 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Insertion flap Sound-damped with rubber seal
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the insertion flap
Mail retainer Integrated for each mailbox

Installation and equipment

Installation type Surface-mounted
Rain runoff edge Integrated into the construction
Rain hood Made of stainless steel V2A, powder-coated in RAL colour of your choice

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Side cladding Made of stainless steel V2A, powder-coated in RAL colour of your choice
Mounting material For wall mounting including mounting rail and fastening material (screws + wall plugs)
Manufacturing Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Mail is best protected from moisture and dirt when fully inserted and with the insertion flap closed. Protruding items may prevent the flap from closing completely.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fastening must be matched to the weight of the unit and the existing wall construction.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	710.0
Total width in mm	710.0
Depth in mm	100.0 | 150.0
Weight in kg	24
Delivery condition	The system is delivered pre-assembled/partially dismantled.


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618