Freestanding XXL parcel box GOETHE with 2 letterboxes - interlock system - RAL colour of your choice | with 2 mailboxes (1x2) | Front mail retrieval | Parcel compartment 600x1200x400



Product number 215-STL-PK600-2BK

Product description

Freestanding XXL parcel box GOETHE with 2 letterboxes - sluice system - RAL colour of your choice

Parcel delivery has changed significantly in recent years – customers now expect more flexibility and security than ever before. With the GOETHE parcel mailbox from the Briefkasten Manufaktur you rely on an optimal combination of innovative technology and outstanding design, manufactured from high-quality stainless steel and aluminium.

The XXL GOETHE parcel mailbox features a specially designed delivery sluice. Once the courier places your parcel inside and the sluice is closed, the parcel automatically falls into the secured retrieval compartment below. After this process the delivery sluice is immediately ready for further deliveries and is independently isolated from the retrieval compartment, guaranteeing the highest level of security for your parcels. A parcel box for simple parcel reception, independent of the delivery service! Any parcel carrier (e.g. DHL, DPD, TNT, GLS, Hermes or similar) can use this parcel mailbox. The spacious interior of the GOETHE parcel mailbox is designed to accommodate DHL Parcel size L and even several smaller parcels. Depending on how a DHL Parcel size M is positioned, up to four such parcels can be stored safely and conveniently.

The dimensions of the mailbox provide a capacity of approx. 48 litres; the large mail slot ensures that even DIN-C3 envelopes and magazines — or mail accumulated during an extended absence — remain uncreased. The innovative push-key lock is concealed within the interior of the mailbox. The key is simply inserted into the existing opening (no turning required) and the door opens. With the lock positioned in this way, the mailbox is designed so that the retrieval door prevents your mail from falling out towards you. The water runoff edge ensures that mail stored inside is optimally protected from the weather. The flap is fitted with high-quality hinge dampers, ensuring a quiet closing action without rattling caused by weather effects.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The Briefkasten Manufaktur places particular emphasis on the selection of high-quality materials. The use of stainless steel in the manufacture of the GOETHE parcel mailbox ensures extremely high corrosion resistance and an attractively finished surface. Our quality assurance begins with the selection of our raw material suppliers and only ends when the parcel mailbox arrives with you in the required quality. Rely on the GOETHE parcel mailbox for a secure, flexible and stylish solution to your parcel delivery needs. Be convinced by a product that combines traditional craftsmanship with the latest technology – in the true spirit of the Briefkasten Manufaktur.

Protected utility model according to DPMA file number DE: 20 2021 101 679.5

- High-quality parcel mailbox made of stainless steel and aluminium, powder-coated in the RAL colour of your choice.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Letterboxes (BH 600x200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of your choice.
- Innovative push-key locks, each supplied with 2 keys.
- Letter insertion and collection from the front. Insertion flap with high-quality hinge dampers for very quiet mail insertion.
- The mailbox complies with DIN/EN 13724. Insertion size (3.5 cm x 56.0 cm) for C3 landscape; large letters also fit without bending.
- The retrieval door opens from top to bottom. This prevents your mail from falling out towards you.
- Parcel box (BH 600x1200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in the RAL colour of your choice with stainless steel laser inscription.
- Parcel compartment volume: 192 litres, max. parcel dimensions: 555 x 375 x 305 mm (W x H x D), corresponding to parcel size L.
- Parcel insertion flap with damping for quiet closing.
- Optimal protection from rain thanks to water runoff edges and a rain canopy made from 3 mm aluminium AlMg3 W19, powder-coated in the RAL colour of your choice.
- Side cladding made from 3 mm aluminium AlMg3 W19, powder-coated in the RAL colour of your choice.
- Rear panel made from 1 mm stainless steel 1.4301 V2A, powder-coated in the RAL colour of your choice.
- Base made from 40x40x2 mm stainless steel tube 1.4301 V2A, powder-coated in the RAL colour of your choice.
- Invisible mounting within the post. Overall height is 1.45 m.

Important information

Water protection

To achieve optimal water protection for your mail, the mailbox or mailbox system should, if possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the insertion flap is closed. Mail that is not fully inserted may allow moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a reason for complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Functions	Newspaper compartment, Parcel compartment
Number of boxes	with 1 parcel box, with 2 letterboxes
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Mounting type	Free-standing
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Boxes by volume	Jumbo > 30 litres

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 200.0 | PK 1200.0
Width of single box in mm	400,0
Capacity in litres	BK 48.0 | PK 192.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	560,0
Overall height in mm	1450,0
Total width in mm	608,0
Depth in mm	400.0 + 25.0 Rain roof
Weight in kg	78
Delivery condition	Delivery is assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618