3-compartment stainless steel freestanding mailbox Design BASIC Plus 385X ST-R - 220 mm - RAL colour of your choice | ? Colour of your choice | 300x220x385 mm (WxHxD) - ???? Large 25 litres | with 3 mailboxes (1x3)



Product number 385XR220-3

Product description

Large-capacity freestanding mailbox system BASIC Plus 385X ST-R for 3 households – 25 litres, colour of your choice

The BASIC Plus 385X ST-R freestanding mailbox system for 3 households is a high-quality freestanding solution for smaller multi-family homes, houses with a granny flat, and office or medical practice premises. The balanced multi-user arrangement uses width and height efficiently and results in a calm, clearly structured front.

The mailboxes are made from stainless steel V2A and powder-coated in the chosen RAL colour. The weather-resistant support posts are made from brushed stainless steel V2A 1.4301, providing a high-quality contrast and forming the stable freestanding substructure.

Each mailbox offers a volume of approx. 25 litres. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait orientation. A noise-dampening rubber lip on the flap, front mail retrieval and robust doors that open from left to right ensure practical everyday use.

The advantages of the BASIC Plus 385X ST-R system at a glance

Solid stainless-steel support posts

Ø 60 mm thick support posts made from brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

25 litres mail volume per mailbox

The 300 × 220 × 385 mm (W × H × D) mail compartments each offer approx. 25 litres of volume. The 35 × 265 mm mail slot also accepts larger DIN C4 mailings in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

Rubber lips dampen the insertion flaps. Each compartment has a robust lock, two keys with a key number and a protected interchangeable nameplate beneath the mail slot.

Bolt mounting or casting into concrete

Depending on the version, the stainless-steel support posts are either bolted to a load-bearing foundation or permanently cast into concrete. This allows the system to be mounted to suit the site conditions.

BASIC Plus – colour of your choice

The powder-coated V2A mailboxes can be chosen in a RAL colour to suit the architecture. Brushed stainless-steel support posts, modular construction and German manufacture complete the durable system.

Equipment of the BASIC Plus 385X ST-R mailbox system

Mailbox system

Number of mailboxes 3 individually lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per mailbox
Material Stainless steel V2A, powder-coated in RAL colour of your choice
Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Standard Mailboxes conforming to DIN EN 13724

Mail and operation

Insertion flaps With noise-dampening rubber lip
Mail retrieval From the front
Door opening Left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the mail slot
Cladding Close-fitting side cladding and a solid rain canopy

Support posts and mounting

Support posts Ø 60 mm stainless steel V2A 1.4301, brushed
Mounting options Selectable for bolt mounting or casting into concrete
Overall height Depending on the chosen support post configuration
Base material Consistent use of stainless steel V2A
Construction Modular and installation-friendly
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Installation of the freestanding system

For bolt mounting a level, sufficiently load-bearing foundation is required. For the version to be cast into concrete, the support posts must be plumb and permanently anchored in a suitably dimensioned concrete foundation. Fixing and foundation must be matched to the system weight, ground conditions and local circumstances.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the insertion flaps are closed. Overhanging letters or magazines can prevent the flaps from closing completely.

BASIC Plus construction and spare parts

The BASIC Plus series is modular and installation-friendly. The consistent use of stainless steel V2A supports a long service life; spare parts for BASIC Plus systems are available directly.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Name labelling	Nameplate
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Number of boxes	with 3 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	300.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	28
Delivery condition	Delivery is made in blocks, freestanding elements / mailbox are split.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618