14-unit freestanding mailbox system Design BASIC 385 ST-R - stainless steel - RAL 7016 anthracite grey | with 14 mailboxes (2x7) | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | BI-Color brushed stainless steel | RAL 7016 anthracite grey



Product number 385-7016VA-14W

Product description

Freestanding 14-unit mailbox system BASIC 385 for 14 households – wide, multi-column configuration – BI-Colour stainless steel / RAL 7016

For larger apartment buildings, residential complexes and demanding commercial properties, the freestanding BASIC 385 as a system for 14 households offers a durable and clear entrance solution. Its independent stand mounting allows the mailbox system to be positioned to suit the plot and access situation.

The W configuration arranges the mailboxes in a wider, multi-column layout and creates a clear front for multiple users.

The mailbox bodies are made from galvanised steel in RAL 7016 anthracite grey fine-textured matt. Brushed stainless steel V2A insertion flaps provide a high-quality BI-Colour accent. A close-fitting side cladding with rain hood unifies the individual mailboxes into a single, continuous unit.

Each compartment features an inlet of 35 × 265 mm suitable for DIN C4 items in portrait format. A noise-damping rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox is supplied with two keys bearing a key number and an interchangeable nameplate below the insertion flap.

The advantages of the BASIC 385 at a glance

Solid stainless steel stand posts

Round-tube stand posts with approx. 60 mm diameter made from brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Large inlet according to DIN EN 13724

The inlet opening of 35 × 265 mm is designed for DIN C4 items in portrait format. Larger envelopes can also be deposited without bending.

Quiet insertion and comfortable retrieval

A noise-damping rubber lip reduces the impact of the insertion flaps. Mail is retrieved from the front via doors that open from left to right.

BI-Colour in anthracite and stainless steel

Anthracite-grey mailbox bodies and brushed stainless steel insertion flaps create a distinct material contrast with a high-quality appearance.

Proven BASIC quality Made in Germany

The combination of solid material selection, DIN EN 13724-compliant mail compartments and an installation-friendly construction makes the BASIC 385 a durable solution for daily use.

Equipment of the BASIC 385 mailbox system

Mailbox system

Design Wide, multi-column configuration
Number of mailboxes 14 individually usable compartments
Mailbox material Galvanised steel with stainless steel insertion flaps
Finish BI-Colour: RAL 7016 anthracite grey fine-textured matt / brushed stainless steel V2A
Rain hood / side cladding Galvanised steel, powder-coated in RAL 7016 anthracite grey fine-textured matt
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Inlet opening 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the insertion flap
Standard Mailboxes conforming to DIN EN 13724

Stand posts and fittings

Stand posts Round tube approx. 60 mm from stainless steel V2A 1.4301, brushed
Mounting options Available for bolted installation or for concreting in
Fixings Anchor bolts for bolted installation not included; select separately to suit the foundation

Mailbox size and volume

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres volume; depending on the variant, 300 × 220 × 385 mm with approx. 25 litres volume is also available.

Installation by concreting in

For the freestanding system we recommend a sufficiently dimensioned concrete foundation. When concreting in, the stainless steel stand posts must be aligned plumb and permanently anchored in the foundation. Foundation size and embedment depth must be matched to ground conditions, system weight and local circumstances.

Bolted installation on a foundation

For bolted installation a level, load-bearing concrete foundation is required. Suitable anchor bolts or fasteners must be selected to suit the substrate and the load on the system. For the BASIC-385-ST-R versions, anchor bolts are not included in the standard scope of delivery.

Note on weather protection

Postal items are best protected from moisture and contamination only when fully inserted and with the insertion flap closed. Protruding items can prevent the flap from closing completely. Under extreme weather conditions, moisture can enter the mailbox despite standard-compliant construction.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Removal of mail	On the front
Number of boxes	with 14 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	600.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	765.0
Depth in mm	435.0
Weight in kg	72
Delivery condition	Delivery is made in blocks; freestanding units / mailbox delivered in separate parts

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618