Design Mailbox Parcel Column GRIMM - Colour of your choice - Prepared for LOXONE Intercom/Code Touch 2x1 on the left | Left | ? Colour of your choice | Prepared for dual LOXONE Intercom + Code Touch



Product number 562-STLPK-SPL-SF-LOX2

Product description

Design Mailbox and Parcel Column GRIMM with LOXONE Intercom/Code Touch 2x1 Prepared – The Premium Solution for Mail & Parcels

The Design Mailbox and Parcel Column GRIMM combines modern design, high-quality workmanship, and maximum flexibility. Crafted from **2 mm stainless steel V2A 1.4301** and powder-coated in a **colour of your choice**, the column impresses with its timeless elegance and extreme robustness. Thanks to the **fully welded construction**, there are no visible screws or rivets, resulting in a particularly sophisticated appearance. The **mailbox and parcel module** is also mounted with invisible screws – providing a top-quality aesthetic.

Particularly practical: The modules can be replaced even after many years. This allows your mailbox and parcel column to remain flexible and future-proof. This model is produced by the **Mailbox Manufactory in Bad Salzuflen** – quality craftsmanship "Made in Germany".

A notable feature of this system is the proven mechanical parcel lock with T-handle, which allows for carrier-independent delivery: The carrier places the parcel in the openly accessible compartment and locks it with a simple click. The compartment remains secured until the authorised user opens it with their key. A clever solution – without electronics, without an app, but with maximum security. Whether DHL, UPS, DPD, GLS, Hermes, or TNT – any parcel service can utilise the parcel box. This ensures you receive your shipments securely and conveniently at any time, even when you are not at home.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The GRIMM mailbox not only serves as a visual highlight but also excels in functionality and quality. Thanks to the innovative push-key lock, the mailbox can be operated easily and comfortably with one hand. Open the door with a press and close it without the need for a key. The lock is also optimally protected from weather conditions. Additionally, the mailbox features an intelligent retrieval system: The door opens from top to bottom, ensuring that your mail remains safely inside and cannot fall out. The insertion is also conveniently done from the front, with high-quality axle dampers ensuring a soft closure of the insertion flap. The flush design allows for seamless integration of up to two LOXONE system modules (not included) via a well-thought-out holding system. Preparation is included for 1 unit of LOXONE Intercom (including cut-out for sound output) + 1 unit of LOXONE NFC Code Touch/Touch Pure.

Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM mailbox impresses with its long-lasting quality, timeless design, and well-thought-out functionality.

Mailbox Module with Function Box – Comfort and Functionality

- Made of 2 mm stainless steel V2A 1.4301, powder-coated in a colour of your choice.
- The LOXONE Intercom can be seamlessly integrated into the flush design and replaced at any time. Preparation is included for 1 unit of LOXONE Intercom (including cut-out for sound output) + 1 unit of LOXONE NFC Code Touch/Touch Pure. WITHOUT LOXONE Intercom/system components!
- Innovative push-key lock including 2 keys with key number, comfortable closure without a key, optimally protected from weather conditions.
- The retrieval door with opening limiter opens from top to bottom, preventing the mail from falling out.
- Front mail insertion with high-quality axle dampers for very quiet mail entry.
- DIN/EN 13724 compliant mailbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape – even large letters remain intact. Additional extraction protection made of stainless steel integrated.
- Optimal weather protection through offset cover.
- Double box system: The cover can be conveniently installed after construction and replaced at any time.

Parcel Box Module – Safe and Spacious

- Made of 2 mm stainless steel V2A 1.4301, powder-coated in a colour of your choice.
- Parcel volume: 130 litres – ideal for large shipments.
- Max parcel dimensions: 505 × 655 × 340 mm (W × H × D).
- Front parcel retrieval door 510 × 660 mm, opens from left to right.
- Door equipped with durable stainless steel hinges.
- Innovative T-handle parcel lock with latch closure.
- Includes 2 keys with key number.
- Icon "PARCEL" as stainless steel laser engraving.

Construction & Details

- Fully welded standing column made of 2 mm stainless steel V2A 1.4301, powder-coated in a colour of your choice.
- Construction height: 1.70 m.
- Invisible cable feeding possible through the body.
- Base plate made of stainless steel (10 mm thick), covered by an elegant cover plate.
- No visible screws or rivets – seamless design.
- Modules are also replaceable after years – maximum future-proofing.

Important Information:

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

To achieve optimal water protection for your mail, the mailbox or mailbox system should ideally be located under a roof.

The mail is only protected from water if it is completely placed in the box and the insertion flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against the ingress of water according to DIN EN 13724. Water ingress is not grounds for complaint.


Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GRIMM
Functions	Camera, Intercom, Parcel compartment
Functional box prepared for manufacturer	LOXONE
Number of boxes	with 1 parcel box, with 1 letterbox
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Boxes by volume	Large > 16 litres

Dimensions

Height of single box in mm	Mailboxes 460.0 | 500.0 - Parcel Boxes 710.0 | 750.0
Width of single box in mm	Mailbox 560.0 | 600.0 - Parcel box 560.0 | 600.0
Capacity in litres	Mailboxes 26.0 | Parcel Boxes 130.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Overall height in mm	1700.0
Total width in mm	Korpus 640.0 | Base plate 730.0
Depth in mm	Body 352.0 | Base Plate 442.0
Weight in kg	95
Delivery condition	Delivery is provided assembled.

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618