Socket column / power column ORDO for freestanding installation - CEE - Schuko - 411 mm - 6-socket - 2-column - RAL 9007 grey aluminium | RAL 9007 grey aluminium, fine-structure matt | 6-unit, 2-column



Product number 376-6-2-9007

Product description

Modular socket column ORDO 6-way, 2-column, 411 mm – RAL 9007 Grey aluminium

The modular socket column **ORDO** with six module positions offers numerous options for individual outdoor power supply on a compact footprint. Thanks to the **two-column arrangement**, a total of six module positions are available at an overall height of only **411 mm**.

The power column is suitable for gardens, terraces, residential developments, outdoor areas of commercial properties and publicly used spaces. The two-column design allows a clear combination of different sockets, switches, push-buttons and other functional modules.

The column is made from **galvanised steel** and **powder-coated in RAL 9007 Grey aluminium, fine-textured matt**. The subtle metallic appearance complements modern facades, stainless-steel components and contemporary outdoor areas. Two integrated rain hoods additionally protect the modules arranged beneath them from direct exposure to moisture.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- Two-column socket column with a total of six module positions.
- Compact overall height of 411 mm.
- Manufactured from galvanised steel.
- Powder-coated in RAL 9007 Grey aluminium, fine-textured matt.
- Integrated rain hoods for protection against the weather.
- Modular design for individual combination of different functions.
- Can be equipped, for example, with CEE or Schuko sockets and with pre-prepared modules for bespoke switch programmes.
- Additional fittings such as switches, push-buttons, key switches, communication connections, high-power sockets, motion detectors, lighting or water connections are available on request.
- Socket modules protected at the rear by high-quality plastic housings.
- Thoughtful installation: fix the column to the ground, carry out wiring, slide in the front panels and fasten with screws.
- German quality manufacturing by Briefkasten Manufaktur.

Important information

Installation, electrical connection and testing of the sockets and components must be carried out by a qualified electrician.

Note for campsites, caravan and motorhome pitches

This version has more than four module positions and is not intended as a power supply for campsites, caravan or motorhome pitches. Special requirements regarding socket types, fusing, residual-current protection and maximum grouping apply to these applications.

Detailed planning, installation and testing must be carried out by a qualified electrician in accordance with the national regulations applicable at the place of use. In Germany, the relevant DIN-VDE regulations in particular must be observed.


Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Series	ORDO
Mounting type	Free-standing
Surface/colour	RAL 9007 grey aluminium


Dimensions

Width in mm	249.5
Height in mm	411
Total width in mm	249.5
Depth in mm	90 | 105
Weight in kg	10
Delivery condition	Supplied fully assembled.

Dimension drawing



More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618