6-unit stainless steel surface-mounted mailbox system Design BASIC 385 A 220 - V2A stainless steel, brushed | 300x220x385 mm (WxHxD) - ???? Large 25 litres | Stainless steel, brushed | with 6 letterboxes (2x3)



Product number 385A220-6

Product description

Surface-mounted mailbox system BASIC 385A 220 for 6 households – 25 litres per compartment – stainless steel V2A brushed

The BASIC 385A surface-mounted mailbox system for 6 households is a robust wall solution for apartment buildings, smaller residential complexes as well as office and medical premises. The balanced arrangement combines all letterboxes into a clearly structured and visually unified wall unit.

The mailbox system is made from high-quality stainless steel V2A with a brushed finish. Letterboxes, cladding and rain canopy form a timeless, low-maintenance and robust stainless steel unit.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm letter slot is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and a changeable nameplate located under the letter flap.

The advantages of the BASIC 385A 220 surface-mounted system at a glance

Rain canopy and side cladding

The rain canopy and side panels combine the individual compartments into a single surface-mounted unit. The coordinated cladding provides a calm front and a neat finish against the façade.

25 litres postal capacity per compartment

The 300 × 220 × 385 mm (W × H × D) compartments each offer approx. 25 litres of volume. The 35 × 265 mm letter slot also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure assignment

The rubber lip damps the letter flap. Robust locks, two keys with key number and protected changeable nameplates ensure clear assignment of the individual compartments.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail facilitates installation; fixings with screws and wall plugs are included in the described specification.

Completely in brushed stainless steel

The V2A version combines a high-quality metal surface with a robust construction for long-lasting surface-mounted mailbox systems. The system is manufactured in Germany at the Briefkasten Manufaktur.

Equipment of the BASIC 385A 220 mailbox system

Mailbox system

Number of letterboxes 6 separately lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per compartment
Material Stainless steel V2A 1.4301, brushed
Surface Stainless steel V2A 1.4301, brushed
Standard DIN EN 13724

Mail and operation

Letter slot 35 × 265 mm, suitable for DIN C4 portrait
Letter flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per compartment
Nameplate Changeable nameplate below the letter flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain canopy Robust, matching the system
Type of installation Surface-mounted wall installation
Mounting aid Mounting rail
Fixings Screws and wall plugs included; suitability for the local wall construction should be checked on site
Manufacture Manufactured in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be flat and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation systems, appropriate fastening solutions must be determined on site.

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the letter flap is closed. Protruding letters or magazines may prevent the flap from closing completely.

Product properties

Series	BASIC
Number of boxes	with 6 letterboxes
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	600.0
Total width in mm	608.0
Depth in mm	435.0
Weight in kg	40
Delivery condition	Delivered partially assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618