Designer flush-mounted letterbox GOETHE UP with side newspaper compartment - RAL colour of your choice - prepared for LOXONE intercom | Right | with newspaper compartment | Prepared for a 1x1 LOXONE Intercom



Product number 215-UP-1-SPSZF-LX-R-LOX1

Product description

Design recessed letterbox GOETHE UP side-mounted with newspaper compartment - RAL of your choice - LOXONE intercom prepared

High-quality recessed letterbox with newspaper compartment and side-mounted LOXONE intercom in a flush-mounted design. The modern GOETHE letterbox is ideal for an elegant entrance area. The straight-lined design without a visible lock gives this letterbox a particularly elegant appearance. The LOXONE intercom can be seamlessly integrated into the flush design and exchanged at any time. The preparation is provided for 1 piece LOXONE intercom (including hole for sound outlet) or 1 piece LOXONE intercom (including hole for sound outlet) + 1 piece LOXONE NFC Code Touch/Touch Pure.

The dimensions of the single box provide a capacity of approx. 16 litres; the large letter slot guarantees that DIN-C4 envelopes and magazines, or post accumulated during several days away, will not be creased. The innovative Push-Key lock is concealed invisibly inside the letterbox. The key is simply inserted into the existing opening (no turning required) and the door opens. With the arrangement of the lock, this letterbox is designed so that the retrieval door prevents your post from falling out. Thanks to the water drainage edge, the internal mail is optimally protected from the weather. The letter slot is fitted with high-quality hinge dampers to ensure quiet closing and to prevent annoying rattling caused by the weather.

The GOETHE letterbox systems are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility/modularity, easy spare part assembly and straightforward self-installation. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the design, self-installation is uncomplicated.

Protected utility model according to DPMA file reference DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- Recessed letterbox completely made of stainless steel.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Letterbox (W x H 400 x 400 mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice.
- Innovative Push-Key lock with 2 keys.
- Letter insertion and retrieval are from the front. Letter slot with high-quality hinge dampers for very quiet letter insertion.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape; large letters fit in here without bending.
- The retrieval door opens from top to bottom. This prevents your post from falling out towards you.
- Newspaper compartment (W x H 400 x 200 mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice with stainless steel laser inscription "ZEITUNG" (font ARIAL; if name/house number, the chosen font will be used).
- Newspaper compartment opens from bottom to top.
- Function box (W x H 200 x 600 mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice.
- Optionally with house number, laser-cut or house number, backlit in white including EVN LED power unit / transformer IP65 12V/DC 0.1−4W for the LED illumination of the house number.
- Optionally with name inscription, laser-cut or through-engraving (illuminated).
- Plaster cover frame made from 2 mm stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.
- **WITHOUT LOXONE intercom/system components!**

Important information

Camera or intercom preparation

We recommend that the electrical installation is always carried out by a qualified electrician.

We offer preparation for intercoms from various manufacturers for our letterboxes. The preparation does not include end devices; it comprises the provision of screw mounts, drillings & cut-outs so that you can mount your device without difficulty.

Water protection

To achieve optimal water protection for your mail, the letterbox or letterbox system should, where possible, be located under a canopy.

Mail items are only protected from water if they are placed completely inside the box and the letter slot is closed. Partially inserted mail allows moisture and dirt to enter the letterbox. This unit is protected against water ingress according to DIN EN 13724. Water ingress does not constitute grounds for a complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Functions	Newspaper compartment, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	LOXONE
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 400.0 | ZF 200.0
Width of single box in mm	400,0
Capacity in litres	BK 16.0 | ZF 8.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Height of letterbox in mm	External dimension 652.0 | installation dimension 605.0
Width of letterbox system in mm	External dimension 652.0 | installation dimension 605.0
Overall height in mm	recommended 1500.0 - 1700.0
Total width in mm	650,0
Depth in mm	100.0 | installation dimension 103.5
Weight in kg	21
Delivery condition	Delivery is assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618