3-unit freestanding mailbox Design BASIC 385220 ST-R with doorbell box - RAL 7016 anthracite grey | with 3 mailboxes



Product number 385220-7016-3-SP

Product description

Freestanding mailbox system BASIC 385220 for 3 households with bell/intercom unit – RAL 7016 Anthracite grey

The BASIC 385220 is designed as an especially spacious freestanding mailbox solution for 3 households. Approximately 25 litres of capacity per mailbox provide ample room for daily mail, magazines and larger consignments.

The mailboxes are made from galvanised steel and powder-coated in RAL 7016 Anthracite grey fine-textured matt. The canopy and side panels combine the individual mail compartments into a closed, linear overall unit.

The freestanding construction allows positioning independently of the building façade – for example at the property entrance, by a driveway or along the access path.

Each compartment has a 35 × 265 mm mail slot suitable for DIN C4 items in portrait orientation. A noise-damping rubber lip reduces impact noise; mail is retrieved from the front via doors opening from left to right. Each mailbox is supplied with two keys with key number and an interchangeable name plate.

The integrated bell/intercom unit extends the mailbox system with a functional panel for doorbell buttons and intercom technology. The speaker perforation with universal adapter is prepared for compatible built-in speakers; the actual intercom system or built-in speaker is not included in the standard equipment.

The advantages of the BASIC 385220 at a glance

Solid stainless steel support posts

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Round-tube support posts with approx. 60 mm diameter made from brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for permanent use at the property entrance.

Large-volume 220 mm version

With approx. 300 × 220 × 385 mm per mailbox the BASIC 385220 offers around 25 litres of mail capacity. This is particularly practical with higher mail volumes or longer collection intervals.

Large mail slot to DIN EN 13724

The mail slot measuring 35 × 265 mm is designed for DIN C4 items in portrait orientation. Larger envelopes can also be deposited without being folded.

Bolt fixing or concreting in

Depending on the version, the stainless steel support posts are either bolted to a load-bearing foundation or permanently concreted in. This allows the system to be mounted to suit the site conditions.

Integrated bell and intercom technology

The bell/intercom panel is integrated directly into the robust support structure. Speaker perforation and universal adapter prepare for the installation of compatible built-in speakers; doorbell push buttons are integrated according to the selected system configuration.

Equipment of the BASIC 385220 mailbox system

Mailbox system

Number of mailboxes 3 separately usable compartments
Type Freestanding mailbox system
Mailbox material Galvanised steel
Finish RAL 7016 Anthracite grey fine-textured matt
Mailbox size Approx. 300 × 220 × 385 mm per compartment
Mail capacity Approx. 25 litres per mailbox
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Mail flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening Opens from left to right
Keys 2 keys with key number per mailbox
Name plate Interchangeable name plate below the mail flap
Standard Mailboxes conforming to DIN EN 13724

Support posts and equipment

Support posts Round tube approx. 60 mm made from brushed stainless steel V2A 1.4301
Mounting options Either bolted mounting or concreting in

Anchor bolts Not included with bolted mounting; select separately to suit the foundation
Canopy / side panels Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-textured matt
Bell/intercom unit Integrated functional panel tailored to the product variant
Intercom preparation Speaker perforation with universal adapter for compatible built-in speakers
Doorbell push buttons Round stainless steel doorbell push buttons matching the chosen system configuration

25 litres mail capacity

The BASIC 385220 uses the deep mailbox format with approx. 300 × 220 × 385 mm and around 25 litres of capacity per compartment. The additional capacity is particularly suitable for regular letters, magazines and catalogues as well as for longer collection intervals.

Installation by concreting in

For the freestanding mailbox system we recommend a suitably dimensioned concrete foundation. The stainless steel support posts must be set vertically and permanently anchored in the foundation. Foundation size and embedment depth should be matched to soil conditions, system weight and local circumstances.

Bolt fixing to a foundation

For bolt fixing a level and load-bearing concrete foundation is required. Suitable anchor bolts or equivalent fastenings must be chosen to suit the substrate and the system load. Anchor bolts are not included in the standard scope of delivery.

Note on weather protection

Mail items are best protected from moisture and dirt when fully inserted and with the mail flap closed. Protruding items can prevent the flap from closing completely. In extreme weather conditions, moisture may enter the mailbox despite conformity with the standard.

Bell and intercom technology

The bell/intercom unit is prepared with speaker perforation and a universal adapter for compatible built-in speakers. Intercom systems or built-in speakers are not included in the standard equipment. Planning, connection and commissioning of electrical components should be carried out by qualified specialists.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Series	BASIC
Number of bell push buttons	3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Mounting type	Free-standing
Surface/colour	RAL 7016 anthracite grey
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Number of boxes	with 3 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	300.0
Overall height in mm	1200.0 | 1500.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	28
Delivery condition	Delivery is made in blocks, stand elements / mailbox delivered separately.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618