Designer flush-mounted mailbox GOETHE UP with newspaper compartment - RAL colour of your choice - doorbell-intercom unit - customisable | with newspaper compartment | 100mm depth | Individualised preparation



Product number 215-UP-1-SP-ZF-IND

Product description

Design flush-mounted mailbox GOETHE UP with newspaper compartment - RAL colour of your choice - doorbell-intercom unit

High-quality flush-mounted mailbox with newspaper compartment and doorbell-intercom unit in a flush-faced design. The modern GOETHE mailbox is ideal for anspruchsvoller entrance areas. Its straight-lined form without a visible lock gives this mailbox an especially elegant appearance. The individually configurable doorbell-intercom unit is available with a flush-mounted doorbell push-button, a nameplate or lettering in combination with your chosen intercom preparation (built-in speaker not included) and/or camera preparation.

The dimensions of the single box provide a capacity of approximately 16 litres; the large inlet ensures that even DIN C4 envelopes and magazines or post accumulated during an extended absence are not creased. The innovative Push-Key lock is hidden invisibly inside the mailbox. The key is simply inserted into the existing opening (no turning required) and the door opens. With the lock arrangement, this mailbox is designed so that the collection door prevents the post from falling out towards you. Thanks to the water run-off edge, the internal post is optimally protected from the weather. The insertion flap is fitted with high-quality soft-close dampers, guaranteeing quiet closing and preventing annoying rattling due to weather influences.

The mailbox systems of the GOETHE collection are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, simple spare-part assembly and uncomplicated self-assembly. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the design, self-assembly is straightforward.

Protected utility model according to DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- Flush-mounted mailbox completely in stainless steel.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Mailbox (W x H 400 x 400 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL colour of your choice.
- Innovative Push-Key lock with 2 keys.
- Letters are inserted and removed from the front. Insertion flap with high-quality soft-close dampers for very quiet posting of mail.
- The mailbox complies with DIN/EN 13724. Insertion aperture (3.5 cm x 36.0 cm) for C4 landscape; large letters fit in without bending.
- Collection door opens from top to bottom, preventing the post from falling out towards you.
- Optional house number lettering approx. 70–80 mm high.
- Newspaper compartment (W x H 400 x 200 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL colour of your choice with stainless steel laser engraving "NEWSPAPER" (font ARIAL; if name/house number, then in your chosen font).
- Newspaper compartment opens from bottom to top.
- Function module (W x H 400 x 200 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL colour of your choice.
- Optionally replaceable stainless steel nameplate with laser engraving, acrylic (Plexiglass) nameplate or illuminated direct lettering.
- 8–12 V DC short-stroke doorbell push-button with LED ring illumination (blue, white, red or green). The illumination of the doorbell push-buttons cannot be powered via the control unit. It must be connected to an additional 8–12 V DC power supply.
- Optionally available as an 8–12 V DC short-stroke illuminated push-button with pictogram.
- Preparation for intercom system possible (built-in speaker not included).
- Optionally with universal adapter for all common built-in speakers.
- Optional preparation for a camera (camera not included).
- Optimal protection from rain thanks to rain run-off edges.
- Plaster cover frame made from stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.

Important information

Camera or intercom preparation

We recommend that electrical installation always be carried out by a qualified electrician.

We offer preparations for intercom stations from various manufacturers for our mailboxes. The preparation does not include end devices; it comprises the provision of screw mounts, drilled holes and cut-outs so that you can mount your end device without difficulty.

Water protection

To achieve optimal water protection for your post, the mailbox or mailbox system should, where possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the insertion flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against ingress of water according to DIN EN 13724. Water ingress is not a basis for a complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Number of bell push buttons	1 button
Functions	Newspaper compartment, Light button, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 400.0 | ZF 200.0
Width of single box in mm	400,0
Capacity in litres	BK 16.0 | ZF 8.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Height of letterbox in mm	External dimension 852.0 | installation dimension 820.0
Width of letterbox system in mm	External dimension 450.0 | installation dimension 420.0
Total width in mm	External dimension 450.0 | installation dimension 420.0
Depth in mm	100.0 | installation dimension 103.5
Weight in kg	17
Delivery condition	Delivery is assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618