12-unit 3x4 surface-mounted mailbox system Design BASIC 385A-VA AP - V2A stainless steel, brushed | with 12 letterboxes (3x4) | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | Stainless steel, brushed



Product number 385A-VA-12

Product description

Surface-mounted mailbox system BASIC 385A for 12 households – brushed stainless steel V2A

The BASIC 385A surface-mounted mailbox system for 12 households is a robust wall solution for apartment buildings, residential complexes and commercially used properties. The balanced arrangement brings all mailboxes together into a clearly structured and visually continuous wall unit.

The mailbox system is made from high-quality stainless steel V2A with a brushed finish. Mailboxes, cladding and rain hood form a timeless, low-maintenance and robust stainless-steel unit.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and provides approx. 12 litres of volume. The 35 × 265 mm insertion aperture is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate located under the insertion flap.

The advantages of the BASIC 385A surface-mounted system at a glance

Rain hood and side panels

Rain hood and side panels combine the individual compartments into a continuous surface-mounted unit. The coordinated cladding provides a calm front and a neat finish at the façade.

DIN C4 insertion and 12 litres volume

The 300 × 110 × 385 mm (W × H × D) compartments each offer approx. 12 litres of volume. The 35 × 265 mm insertion aperture also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the insertion flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear allocation of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade mounting. A mounting rail facilitates installation; fixing materials with screws and wall plugs are included in the described configuration.

Entirely in brushed stainless steel

The V2A version combines a high-quality metal surface with a robust construction for durable surface-mounted mailbox systems. The unit is manufactured in Germany at the Briefkasten Manufaktur.

Specification of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 12 individually lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per compartment
Material Stainless steel V2A 1.4301, brushed
Finish Stainless steel V2A 1.4301, brushed
Standard DIN EN 13724

Mail and operation

Insertion aperture 35 × 265 mm, suitable for DIN C4 in portrait orientation
Mail flaps With sound-dampening rubber lip
Mail retrieval Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the insertion flap

Cladding and wall mounting

Side panels Close-fitting design
Rain hood Solid, matching the unit
Mounting type Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; check suitability for the on-site wall construction
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation systems, appropriate fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected against moisture and dirt only when items are fully inserted and the flap is closed. Overhanging letters or magazines can prevent the flap from closing completely.

Product properties

Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Mounting type	Surface-mounted
Number of boxes	with 12 letterboxes

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	330.0
Width of letterbox system in mm	900.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	65
Delivery condition	Delivered partly disassembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618