8-unit (4x2) stainless steel freestanding mailbox Design BASIC Plus 385XP ST-T - RAL colour of your choice | ? Colour of your choice | 300x220x385 mm (WxHxD) - ???? Large 25 litres | with 8 mailboxes



Product number 385XP220-8S

Product description

Freestanding large-capacity mailbox system BASIC Plus 385XP ST-T for 8 households – 25 litres – S configuration

The freestanding BASIC Plus 385XP ST-T mailbox system for 8 households is an especially robust entrance solution for larger multi-family houses, residential complexes and commercial properties. Eight separately usable mail compartments are combined into a clearly structured, durable overall system. This product variant uses the series' S configuration and thus offers an alternative geometry for different plot and entrance situations.

The mailboxes are made of stainless steel V2A and are finely powder-coated in a RAL colour of your choice. Particularly noteworthy are the solid support posts made from anodised aluminium profile: these are also powder-coated, executed for high stability and form an exceptionally robust base for the entire mailbox system. Stainless steel and solid aluminium combine longevity with a clear, high-quality architecture.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm insertion opening is designed for DIN C4 items in portrait orientation. A noise-damping rubber lip on the insertion flap, front mail retrieval, a robust lock and the interchangeable nameplate ensure comfortable everyday use.

Advantages of the BASIC Plus 385XP ST-T system at a glance

Solid aluminium support posts

Solidly manufactured, anodised aluminium profiles form the particularly robust base of the system. The powder-coated profile construction is designed for high stability and long-term outdoor use.

Extra-large 25-litre compartments

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The 300 × 220 × 385 mm mailboxes each offer approx. 25 litres of posting volume. The 35 × 265 mm insertion opening accommodates DIN C4 mail in portrait orientation.

Quiet insertion and robust locking

A rubber lip reduces impact noise at the insertion flap. Robust locks, two keys per compartment and interchangeable nameplates are designed for daily use.

Designed for high load-bearing capacity

The solid aluminium profiles, together with the modular mailbox system, form a torsion-resistant and load-bearing construction. This makes the 385XP particularly suitable for demanding multi-occupancy and project solutions.

BASIC Plus – built for high load-bearing capacity

The consistent combination of stainless steel V2A and solid aluminium profiles makes the 385XP a particularly robust mailbox system. The modular construction simplifies installation, maintenance and later replacement of individual components.

Features of the BASIC Plus 385XP ST-T mailbox system

Mailbox system

Number of mailboxes 8 individually lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Mail capacity Approx. 25 litres per mailbox
Mailbox material Stainless steel V2A, powder-coated in RAL colour of choice
Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and additional features

Insertion flaps With noise-damping rubber lip
Mail retrieval Front
Keys 2 keys with key number per mailbox
Nameplate Solid interchangeable nameplate
Rain hood Close-fitting, robust design
Rainwater drainage Integrated drain channels for improved water protection

Solid aluminium support posts

Support posts Solid anodised aluminium profile, powder-coated
Construction Executed for particular robustness and load-bearing capacity
Finish RAL colour matching the mailbox system
Installation Freestanding installation on a suitable foundation
Side cladding Close-fitting design
BASIC Plus Modular, maintenance-friendly and installation-friendly design

Foundation and secure installation

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The solid aluminium support posts require a level and sufficiently load-bearing substrate or an appropriately dimensioned concrete foundation. Foundation size, fixings and alignment must be matched to the unit’s weight, size, ground conditions and local loads.

Note on weather protection

The rain hood, close-fitting side cladding and drain channels support weather protection. Mail items must be fully inserted so that the insertion flaps can close completely.

BASIC Plus – robust and modular

The BASIC Plus construction relies on stainless steel V2A and solid aluminium profiles. The modular design simplifies installation and the later replacement of individual components and is engineered for a long service life.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Name labelling	Nameplate
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301
Mounting type	Free-standing
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Number of boxes	with 8 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height in mm	1
Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	600.0
Overall height in mm	1600.0
Total width in mm	700.0
Depth in mm	435.0
Weight in kg	53
Delivery condition	Delivery is in blocks, freestanding elements / mailbox supplied split


Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618