24-unit freestanding mailbox system Design BASIC 385-7016 ST-R - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 24 mailboxes



Product number 385-7016-24W

Product description

Freestanding 24-unit mailbox system BASIC 385 for 24 households – wide, multi-column design – RAL 7016 Anthracite grey

The freestanding BASIC 385 mailbox system for 24 households combines a robust construction with a clear, functional design. It is suitable for larger apartment buildings, residential complexes and demanding commercial properties and can be positioned independently of the building façade at the property entrance, at a driveway or along an access path.

The W version distributes the mail compartments in a wider, multi-column arrangement and creates an organised front for multiple users.

The mailboxes are made of galvanised steel and are powder-coated in RAL 7016 Anthracite grey with a matt fine-texture finish. A close-fitting side cladding with a rain hood integrates the individual mailboxes into a cohesive overall system.

Each compartment features a slot of 35 × 265 mm for DIN C4 items in portrait format. A noise-dampening rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox is supplied with two keys with key number and an interchangeable nameplate beneath the mail slot.

Advantages of the BASIC 385 at a glance

Solid stainless steel support posts

Round-tube support posts with approx. 60 mm diameter in brushed stainless steel V2A 1.4301 provide a stable base for the freestanding mailbox system. The robust construction is designed for permanent use at the property entrance.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Large mail slot according to DIN EN 13724

The mail slot measuring 35 × 265 mm is designed for DIN C4 items in portrait orientation. Larger envelopes can also be inserted without folding.

Quiet insertion and comfortable retrieval

A noise-dampening rubber lip reduces the impact of the mail slot flaps. Mail is retrieved from the front via doors that open from left to right.

Durable surface in RAL 7016

The matt fine-texture surface in Anthracite grey combines a modern appearance with a resilient coating on the galvanised steel.

Proven BASIC quality Made in Germany

The combination of solid material selection, mail compartments compliant with DIN EN 13724 and an assembly-friendly construction makes the BASIC 385 a durable solution for daily use.

Equipment of the BASIC 385 mailbox system

Mailbox system

Configuration Wide, multi-column design
Number of mailboxes 24 separately usable compartments
Mailbox material Galvanised steel
Finish RAL 7016 Anthracite grey fine-texture matt
Rain hood / side cladding Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-texture matt
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Mail slot flaps With noise-dampening rubber lip
Mail retrieval Front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the mail slot
Standard Mailboxes compliant with DIN EN 13724

Support posts and fittings

Support posts Round tube approx. 60 mm in stainless steel V2A 1.4301, brushed
Installation options Available either for bolted installation or for embedding in concrete
Fixings Anchor bolts for bolted installation not included; please select suitable anchors for the foundation separately

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres volume; depending on the variant 300 × 220 × 385 mm with approx. 25 litres volume is also available.

Installation by embedding in concrete

For the freestanding system we recommend a suitably dimensioned concrete foundation. When embedding, the stainless steel support posts must be aligned plumb and permanently anchored in the foundation. Foundation size and embedment depth must be matched to ground conditions, system weight and local circumstances.

Bolted installation on a foundation

Bolted installation requires a level and load-bearing concrete foundation. Suitable anchor bolts or fixing materials must be chosen to suit the substrate and the system load. For the BASIC-385-ST-R versions anchor bolts are not included in the standard scope of delivery.

Note on weather protection

Mail is best protected from moisture and dirt only when fully inserted and the flap is closed. Protruding items may prevent the flap from closing completely. Under extreme weather conditions, moisture may enter the mailbox despite compliant design.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Removal of mail	On the front
Number of boxes	with 24 letterboxes

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	900.0
Overall height in mm	1500.0 | 1700.0
Total width in mm	1065.0
Depth in mm	435.0
Weight in kg	98
Delivery condition	Delivery is made in blocks; stand elements / mailbox are delivered separately.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618