Designer doorbell column GOETHE 200x1600 - RAL colour of your choice | 5 bell pushes with nameplates

Product number 215-KLS-2001600-KL5



Product description

Design doorbell column GOETHE 200x1600 - RAL of your choice

The modern GOETHE doorbell column is ideal for premium applications. Its clean, linear design gives the column an especially elegant appearance.

Thanks to the 3 mm side cladding with rain hood and the rear panel with a 6 mm aluminium base plate, this doorbell column is fully weatherproof and perfect for outdoor use. The doorbell stele is available with 1–6 doorbell buttons. Optionally, a speaker cut-out, camera and house number can be prepared.

The doorbell steles of the GOETHE collection are distinguished by the consistent use of stainless steel and aluminium. The result is very high durability and sustainability. The construction was developed by our own engineers with a focus on high flexibility and modularity, easy spare-part assembly and straightforward self-assembly. Spare parts for all GOETHE systems are available directly in our shop.

Owing to the construction method, self-assembly is uncomplicated.

Protected utility model according to DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality doorbell column made of stainless steel and aluminium.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- 4x body (W×H×D 200 × 400 × 100 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL of your choice.
- Function boxes open from top to bottom. Concealed screw fixings.
- House number approx. 70 mm high (max. 3 digits) with energy-saving LED illumination 12V DC approx. 50 mA / 1 W, white.
- Replaceable nameplate made of Plexiglas, optionally illuminated.
- The inscriptions on the nameplates can be exchanged from the front as required.
- Includes EVN LED power supply / transformer IP65 12V/DC 0.1–4W for the LED illumination (house number and nameplate if chosen).
- 8–12V DC short-travel doorbell push-buttons with white LED ring illumination.
- Optionally available as an 8–12V DC short-travel illuminated push-button with pictogram.
- Preparation for intercom system possible (built-in speaker not included).
- Optional with universal adapter for all common flush-mounted speakers.
- Optional preparation for a camera (camera not included).
- Optimal protection against rain provided by rain runoff edges and a 3 mm aluminium rain hood AlMg3 W19, powder-coated in RAL of your choice.
- Side cladding made of 3 mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Rear panel and base plate made of 6 mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Invisible fastening inside the doorbell column via reinforced base plate.

Important information

Camera or intercom preparation

We recommend that the electrical installation is always carried out by a qualified electrician.

We offer preparation for cameras and intercoms from various manufacturers for our letterboxes. The preparation does not include end devices; it comprises the provision of screw mounts, drillings and cut-outs so that you can fit your end device without difficulty.

Product properties

Series	GOETHE
Number of bell push buttons	5 buttons
Functions	Light button, Camera, Intercom, Fingerprint, Keypad
Surface/colour	RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey
Name labelling	Nameplate
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Mounting type	Free-standing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	400,0
Width of single box in mm	200,0
Overall height in mm	1617,0
Total width in mm	208,0
Depth in mm	100.0 + 25.0 Rain roof
Weight in kg	28
Delivery condition	Delivery is assembled

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618