12-unit stainless steel surface-mounted mailbox system Design BASIC 385 A 220 - brushed stainless steel V2A | with 12 letterboxes (3x4) | 300x220x385 mm (WxHxD) - ???? Large 25 litres | Stainless steel, brushed



Product number 385A220-12

Product description

Surface-mounted mailbox system BASIC 385A 220 for 12 households – 25 litres per compartment – brushed stainless steel V2A

The BASIC 385A surface-mounted mailbox system for 12 households is a robust wall solution for multi-family homes, residential complexes and commercially used properties. The balanced arrangement groups all mail compartments into a clearly structured and visually unified wall unit.

The mailbox system is made from high-quality stainless steel V2A with a brushed finish. Mailboxes, cladding and rain hood form a timeless, low-maintenance and robust stainless steel unit.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable name plate beneath the mail flap.

The advantages of the BASIC 385A 220 surface-mounted system at a glance

Rain hood and side cladding

The rain hood and side panels unite the individual mail compartments into a closed surface-mounted unit. The coordinated cladding provides a calm front and a neat finish at the façade.

25 litres mail volume per compartment

The 300 × 220 × 385 mm (W × H × D) compartments each provide approx. 25 litres of volume. The 35 × 265 mm mail slot also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet drop-in and secure allocation

The rubber lip damps the mail flap. Robust locks, two keys with key number and protected interchangeable name plates ensure clear assignment of the individual compartments.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade mounting. A mounting rail simplifies installation; fixings with screws and wall plugs are included in the described configuration.

Completely in brushed stainless steel

The V2A version combines a high-quality metal surface with a robust construction for long-lasting surface-mounted mailbox systems. The unit is manufactured in Germany by the mailbox manufactory.

Equipment of the BASIC 385A 220 mailbox system

Mailbox system

Number of mailboxes 12 separately lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per compartment
Material Stainless steel V2A 1.4301, brushed
Surface Stainless steel V2A 1.4301, brushed
Standard DIN EN 13724

Mail and operation

Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Mail flaps With sound-damping rubber lip
Mail retrieval From the front
Door opening Left to right
Keys 2 keys with key number per compartment
Name plate Interchangeable name plate beneath the mail flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain hood Solid, system-matched design
Installation method Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; check suitability for the on-site wall construction
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation systems, appropriate fixing solutions must be determined on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected against moisture and dirt when items are fully inserted and the mail flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Series	BASIC
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted
Number of boxes	with 12 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	900.0
Total width in mm	908.0
Depth in mm	435.0
Weight in kg	52
Delivery condition	Delivered partially disassembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618