Freestanding design parcel compartment system GOETHE with 3 letterboxes and 3 parcel compartments - rear access - RAL colour of your choice | with 3 mailboxes (3x1) | Rear mail retrieval | Parcel compartment 400x1200x400



Product number 215-STL-PK3-3BK-PE-H

Product description

Freestanding design parcel box GOETHE® with 3 letterboxes, 3 parcel compartments and rear retrieval - airlock system - RAL colour of your choice

Parcel delivery has changed significantly in recent years – customers now expect more flexibility and security than ever before. With the GOETHE® parcel letterbox from Briefkasten Manufaktur you benefit from an optimal combination of innovative technology and outstanding design, manufactured from high-quality stainless steel and aluminium. Thanks to the retrieval side at the rear, this parcel letterbox is ideal for installation in fences or at property boundaries, allowing you to collect your parcels and letters conveniently and securely from the inside of your property.

The GOETHE® parcel box features a specially designed delivery airlock. Once the courier places your parcel in the airlock and closes it, the parcel automatically drops into the locked retrieval compartment below. The delivery airlock is immediately ready for further deliveries after this process and is automatically isolated from the retrieval compartment, providing the highest level of security for your parcels. This construction enables courier-independent parcel reception that can be used by any parcel carrier (e.g. DHL, DPD, TNT, GLS, Hermes or similar). The spacious interior of the GOETHE® parcel box is designed to accommodate a DHL Paket M and even several smaller items. Depending on placement, up to four size M parcels can be stored simultaneously. Inserting letters, magazines and catalogues is also easily possible (no internal compartment separation).

The dimensions of the letterboxes allow a capacity of approx. 32 litres; the large insertion slot ensures that DIN-C4 envelopes, magazines or mail accumulated during an extended absence are not creased. With the arrangement of the lock, these letterboxes are designed so that the retrieval door prevents your mail from falling towards you. The internal mail is optimally protected from the weather by the water drainage edge. The insertion flap is equipped with high-quality hinge dampers to ensure very quiet closing and to prevent annoying rattling caused by weather influences.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Briefkasten Manufaktur places particular emphasis on the selection of high-quality materials. The use of stainless steel in the manufacture of the GOETHE® parcel box ensures extremely high corrosion resistance and an attractively appealing surface finish. Our quality assurance begins with the selection of our raw material suppliers and only ends when the parcel box reaches you in the required quality. Trust the GOETHE® parcel box for a secure, flexible and stylish solution to your parcel delivery needs. Be convinced by a product that combines traditional craftsmanship with state-of-the-art technology – in the true spirit of Briefkasten Manufaktur.

Protected utility model according to DPMA file number DE: 20 2021 101 679.5

- High-quality parcel compartment system made of stainless steel and aluminium, powder-coated in the RAL colour of your choice.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Letterboxes (BH 400x200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice.
- 3 lever locks including 2 keys with key number.
- Letters are inserted from the front and retrieved from the back. Insertion flap with high-quality hinge dampers for very quiet mail insertion.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape; large envelopes fit without bending.
- Retrieval door opens from top to bottom, preventing mail from falling towards you.
- Parcel compartments (BH 400x1200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice with stainless steel laser marking.
- Parcel compartment volume: 128 litres, max. parcel dimensions: 355 x 375 x 305 mm (BHT), corresponding to parcel size M.
- Parcel inlet flap with damping for quiet closing.
- Optimal protection from rain through rain drainage edges and a rain roof made of 3 mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Side cladding made of 3 mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Rear wall made of 1 mm stainless steel 1.4301 V2A, powder-coated in RAL of your choice.
- Invisible fixing within the pillar. The overall height is 1.65 m.

Important information

Water protection

To achieve optimal water protection for your mail, the letterbox or mailbox system should, where possible, be located beneath an overhang.

Mail is only protected from water if it is placed completely inside the compartment and the insertion flap is closed. Mail that is not fully pushed in allows moisture and dirt to enter the letterbox. This system is protected against water ingress according to DIN EN 13724. Water ingress does not constitute grounds for a complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Functions	Newspaper compartment, Parcel compartment
Number of boxes	with 3 parcel boxes, with 3 letterboxes
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Mounting type	Free-standing
House number	House number as laser engraving
Name labelling	Laser-engraved
Boxes by volume	Jumbo > 30 litres
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 200.0 | PK 1200.0
Width of single box in mm	400,0
Capacity in litres	BK 32.0 | PK 128.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Overall height in mm	1450,0
Total width in mm	1208,0
Depth in mm	400.0 + 25.0 Rain roof
Weight in kg	123
Delivery condition	Delivery is assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



More images


Montagebohrungen
4x Ø12
338
198
36
198
84,5
1039
1208
459
425
1243 / 1443 / 1643 / 1843




Familie Hoffmann
Familie Meister
Dr. Esko







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618