Designer flush-mounted mailbox GOETHE UP - RAL colour of your choice - LOXONE intercom-ready | without newspaper compartment | 100mm depth | Prepared for a 1x1 LOXONE Intercom



Product number 215-UP-1-SP-LOX1

Product description

Designer flush-mounted mailbox GOETHE UP - RAL colour of your choice - LOXONE Intercom prepared

High-quality flush-mounted mailbox manufactured in a flush-fit design. The modern GOETHE mailbox is ideal for an upscale entrance area. The straight-lined form without a visible lock gives this mailbox a particularly elegant appearance. The LOXONE Intercom can be integrated seamlessly into the flush-fit design and exchanged at any time. The preparation is intended for 1 x LOXONE Intercom (including cut-out for sound output) or 1 x LOXONE Intercom (including cut-out for sound output) + 1 x LOXONE NFC Code Touch/Touch Pure.

The dimensions of the single compartment provide a capacity of approx. 16 litres; the large aperture ensures that DIN C4 envelopes and magazines, or mail after several days' absence, are not creased. The innovative Push-Key lock is concealed inside the mailbox. The key is simply inserted into the existing opening (no turning required) and the door opens. The arrangement of the lock is designed so that the collection door prevents the mail from falling out towards you. Thanks to the water drainage edge, the internal mail is optimally protected from the elements. The insertion flap is fitted with high-quality hinge dampers, ensuring quiet closing and preventing annoying rattling due to weather influences.

The mailbox systems of the GOETHE collection are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility/modularity, easy replacement-part assembly and straightforward self-assembly. Replacement parts for all GOETHE systems are available directly from our shop.

Thanks to the construction method, self-assembly is straightforward.

Protected utility model according to DPMA file reference DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- Flush-mounted mailbox entirely made of stainless steel.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- Mailbox (W x H 400 x 400 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL colour of your choice.
- Innovative Push-Key lock with 2 keys.
- Mail insertion and collection are from the front. Insertion flap with high-quality hinge dampers for very quiet mail insertion.
- The mailbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape; large letters also fit without folding.
- Collection door opens from top to bottom. This prevents your mail from falling out towards you.
- Optional name inscription approx. 15–20 mm high.
- Optional house number inscription approx. 70–80 mm high.
- Function box (W x H 400 x 200 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL colour of your choice.
- Plaster cover frame made from 2 mm stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.
- **WITHOUT LOXONE Intercom/System components!**

Important information

Camera or intercom preparation

We recommend that electrical installation is always carried out by a qualified electrician.

We offer preparation for intercom units from various manufacturers for our mailboxes. The preparation does not include end devices; it consists of providing the screw mounts, drillings & cut-outs so that you can mount your end device without difficulty.

Water protection

To achieve optimal protection of your mail from water, the mailbox or mailbox system should, if possible, be located under a canopy.

Mail is only protected from water if it is completely deposited inside the box and the insertion flap is closed. Partially inserted mail allows moisture and dirt to enter the mailbox. This system is protected against ingress of water according to DIN EN 13724. Water ingress is not grounds for a complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Functions	Camera, Intercom
Functional box prepared for manufacturer	LOXONE
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 400.0 | FK 200.0
Width of single box in mm	400,0
Capacity in litres	16,0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Height of letterbox in mm	External dimension 652.0 | installation dimension 620.0
Width of letterbox system in mm	External dimension 452.0 | installation dimension 420.0
Total width in mm	External dimension 452.0 | installation dimension 420.0
Depth in mm	100.0 | installation dimension 103.5
Weight in kg	12
Delivery condition	Delivery is assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618