Stainless steel surface-mounted letterbox BASIC Plus 382X AP with side-mounted doorbell box | Right | 150mm depth | with 1 mailbox | Stainless steel, brushed



Product number 382XA-1W-SP-150-R

Product description

Stainless steel surface-mounted mailbox BASIC Plus 382X AP with side bell box

German quality manufacture "Made in Germany" by Briefkasten Manufaktur. The complete surface-mounted mailbox is made of weather-resistant stainless steel V2A, brushed. A drip edge for optimal water protection, a double-folded insertion flap with rubber buffer, the solid interchangeable nameplate, a practical mail retention bracket and a very robust lock characterise this stainless steel mailbox.

The mailbox systems of the BASIC Plus collection are distinguished by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy replacement part assembly and straightforward self-installation.

Spare parts are directly available for all BASIC Plus systems. Surface-mounted mailbox made of high-quality, weather-resistant stainless steel V2A 1.4301, brushed.

Key benefits at a glance

Close-fitting stainless steel cladding with weather canopy

Side cladding and weather canopy are included in this version and are made of stainless steel V2A, brushed. The close-fitting design forms a closed, structurally coordinated unit with the mailbox system.

Generous letter slot

The insertion opening measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox version complies with DIN EN 13724.

Quiet insertion and comfortable retrieval

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The integrated flap damping with rubber buffer reduces impact noise during insertion. The mail retention bracket holds items back during retrieval.

Integrated doorbell and intercom area

Bell box made of stainless steel V2A 1.4301, brushed. A stainless steel doorbell button Type 4 is used. Optionally prepared with a speech grille for the installation of commercially available intercom systems or flush-mounted speakers. (Intercom system/flush-mounted speaker not included). An option with the Comelit Ultra video complete set is also available.

Quality manufacture and considered design

The unit is manufactured at the Briefkasten Manufaktur in Germany. The construction is designed for straightforward self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 1 separately usable mailbox
Depth 150 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox finish Brushed
Doorbell/intercom component Bell box made of stainless steel V2A 1.4301, brushed

Mail and operation

Letter slot 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Insertion flap Noise-damped by rubber buffer
Mail retrieval From the front
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the insertion flap
Mail retention bracket Integrated per mailbox

Installation and equipment

Mounting type Surface-mounted
Drip edge Integrated into the construction
Weather canopy Made of stainless steel V2A, brushed
Side cladding Made of stainless steel V2A, brushed
Mounting material For wall mounting including fixings
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Mail is best protected from moisture and dirt when fully inserted and the insertion flap is closed. Protruding items may prevent the flap from closing completely.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. Fixings must be matched to the unit weight and the existing wall construction.

Product properties

Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	330.0
Width of letterbox system in mm	525.0
Total width in mm	525.0
Depth in mm	100.0 | 150.0
Weight in kg	12

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618