8-unit stainless steel surface-mounted mailbox system Design BASIC Plus 385XA AP - RAL colour of your choice | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | ? Colour of your choice | with 8 mailboxes



Product number 385XA-8W

Product description

Wide surface-mounted mailbox system BASIC Plus 385XA for 8 households – RAL colour of your choice

The BASIC Plus 385XA surface-mounted mailbox system for 8 households is a robust wall solution for apartment buildings, residential complexes and commercially used properties. The wider W-design distributes the mailboxes across a multi-column front and keeps the overall system lower in proportion and easy to overview.

The BASIC Plus mailbox system is made entirely from V2A stainless steel and is powder-coated in the selected RAL colour. The modular construction is designed for durability, easy installation and good spare parts availability.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox includes two keys with key number and an interchangeable nameplate located beneath the mail flap.

Key advantages of the BASIC Plus 385XA surface-mounted system at a glance

Weather canopy and side cladding

The weather canopy and side panels combine the individual mailboxes into a single closed surface-mounted system. The coordinated cladding provides a calm front and a neat finish at the façade.

DIN C4 slot and 12 litres volume

The 300 × 110 × 385 mm (W × H × D) compartments each offer approx. 12 litres of volume. The 35 × 265 mm mail slot also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet posting and secure allocation

The rubber lip dampens the mail flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear assignment of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail simplifies installation; fixing materials with screws and wall plugs are included in the described configuration.

BASIC Plus in RAL colour of your choice

V2A stainless steel forms the robust base; the powder coating can be executed in the desired RAL colour to match the façade, front door and window profiles. BASIC Plus additionally stands for consistent use of V2A, modular construction and readily available spare parts.

Equipment of the BASIC Plus 385XA mailbox system

Mailbox system

Number of mailboxes 8 separately lockable compartments
Individual compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material V2A stainless steel, powder-coated in RAL colour of your choice
Surface Powder coating in RAL colour of your choice
Standard DIN EN 13724

Mail and operation

Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Mail flaps With sound-dampening rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the mail flap

Cladding and wall mounting

Side cladding Close-fitting design
Weather canopy Solid design matching the system
Type of installation Surface-mounted wall installation
Installation aid Mounting rail
BASIC Plus Modular construction with readily available spare parts
Fixing materials Screws and wall plugs included; suitability for on-site wall build-up should be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall installation

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be flat and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation systems, appropriate fixing solutions must be determined on site.

Note on weather protection

Mail is best protected from moisture and soiling only when items are fully inserted and the mail flap is closed. Overhanging letters or magazines can prevent the flap from closing completely.

BASIC Plus construction

The BASIC Plus series consistently uses V2A stainless steel and a modular, installation-friendly construction. Spare parts for BASIC Plus systems are readily available.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Mounting type	Surface-mounted
Number of boxes	with 8 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	440.0
Width of letterbox system in mm	600.0
Total width in mm	608.0
Depth in mm	435.0
Weight in kg	45
Delivery condition	Delivered partly disassembled


Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618