Surface-mounted mailbox GOETHE AP - Design Elegance 2 - RAL colour of your choice | without newspaper compartment | 100mm depth



Product number 215-AP-E2-100

Product description

Surface-mounted mailbox GOETHE AP - Design Elegance 2 - RAL colour of your choice

The modern surface-mounted mailbox GOETHE with interchangeable stainless steel applique is ideal for an upscale entrance area. The straight-lined design without a visible lock gives this mailbox a particularly elegant appearance. The contemporary look with a stainless steel front panel perfectly complements many of the latest front door models.

The dimensions of the single compartment provide a capacity of approx. 16 or 32 litres; the large letter slot ensures that even C4 envelopes and magazines, or post accumulated during several days' absence, are not creased. The innovative Push-Key lock is hidden inside the mailbox. The key is simply pushed into the existing opening (no turning required) and the door opens. The placement of the lock is designed so that the retrieval door prevents the post from falling out towards you. The water runoff edge provides optimum protection for the mail inside against the weather. The insertion flap is fitted with high-quality axle dampers, ensuring quiet closing and preventing disturbing rattling caused by weather.

The surface-mounted mailbox systems of the GOETHE collection are characterised by the consistent use of stainless steel and aluminium. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, simple spare-part assembly and uncomplicated self-assembly. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the design, self-assembly is straightforward.

Protected utility model according to DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality surface-mounted mailbox made of stainless steel and aluminium.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Interchangeable applique made of stainless steel V2A 1.4301, 240-grit brushed.
- Mailbox (H x W 400 x 400 mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of your choice.
- Innovative Push-Key lock with 2 keys.
- Mail insertion and retrieval are from the front. Insertion flap with high-quality axle dampers for very quiet mail insertion.
- The mailbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape; large letters fit in without being folded.
- Retrieval door opens from top to bottom, preventing the mail from falling out towards you.
- Optional name inscription approx. 10–25 mm high.
- Optional house number inscription approx. 50–80 mm high.
- Optimal protection from rain thanks to rain runoff edges and a rain canopy made from 3 mm aluminium AlMg3 W19, powder-coated in RAL colour of your choice.
- Side cladding made from 3 mm aluminium AlMg3 W19, powder-coated in RAL colour of your choice.
- Includes mounting rail for wall installation.

Important information:

To achieve optimal protection of your mail from water, the mailbox or mailbox system should, where possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the insertion flap is closed. Mail that is not fully inserted can allow moisture and dirt to enter the mailbox. This system is protected against water ingress in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	400,0
Width of single box in mm	400,0
Capacity in litres	16,0 | 32,0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Total width in mm	408,0
Depth in mm	100.0 | 200.0 + 25.0 Rain roof
Weight in kg	12
Delivery condition	Delivery is assembled

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618