Floor-standing letterbox LESSING - RAL 9005 jet black | RAL 9005 Deep Black, fine texture, matt | without newspaper compartment

Product number 306-C-9005-STL



Product description

LESSING free-standing letterbox - RAL 9005 jet black

The LESSING free-standing letterbox combines elegant, minimalist design with functional excellence. Equipped with an invisible lock and stylish labelling option, it blends seamlessly into any modern living environment. The use of galvanised, powder-coated steel guarantees long-lasting quality and durability.

With a capacity of approx. 19 litres and a top-access slot, the LESSING ensures that your mail remains crease-free. The flap is equipped with high-quality axle dampers that allow it to close gently. The simple self-assembly and optional personalisation make it the ideal letterbox for discerning users who value design, quality and convenience.

Thanks to the design, self-assembly is uncomplicated.

- High-quality letterbox column made of galvanised steel, powder-coated in RAL 9005 deep black fine structure matt.
- The door can be opened from top to bottom.
- Insertion from above, insertion flap with high-quality axle dampers for silent closing.
- Includes 2 keys with key number.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 33.5 cm) for C4 landscape, even large letters fit in here without creasing.
- Generous capacity of approx. 19 litres.
- Customised UV and weather-resistant laser engraving.
- Letterbox pillar with base plate for screw mounting.

Important information:

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The mail is only protected from water if it is completely placed in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Material	Steel, galvanised
Surface/colour	RAL 9005 deep black
Series	LESSING
Mounting type	Free-standing
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	400,0
Width of single box in mm	375,0
Capacity in litres	19
Height of letterbox slot in mm	35,0
Width of letter slot in mm	335,0
Height of letterbox in mm	1150,0
Width of letterbox system in mm	393,0
Depth in mm	120.0 + 23.0 Aperture
Weight in kg	12
Delivery condition	Supplied fully assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618