24-unit (8 x 3) stainless steel freestanding mailbox system Design BASIC Plus 385X ST-R - RAL colour of your choice | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | ? Colour of your choice | with 24 mailboxes



Product number 385XR-24

Product description

Freestanding mailbox system BASIC Plus 385X ST-R for 24 households – colour of your choice

The BASIC Plus 385X ST-R freestanding mailbox system for 24 households is a high-quality freestanding solution for larger residential complexes, multi-occupancy buildings and commercially used properties. The balanced multi-unit arrangement uses width and height efficiently and creates a calm, clearly structured front.

The mailboxes are made of stainless steel V2A and are powder-coated in the chosen RAL colour. The weather-resistant support elements made from brushed stainless steel V2A 1.4301 provide a high-quality contrast and form the stable freestanding substructure.

Each compartment offers a volume of approx. 12 litres. The 35 × 265 mm letter slot is designed for DIN C4 items in portrait format. A noise-damping rubber lip on the letter flap, front access for mail retrieval and robust doors that open from left to right ensure everyday usability.

Advantages of the BASIC Plus 385X ST-R system at a glance

Solid stainless steel support elements

Ø 60 mm thick support elements made from brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for permanent use at the property entrance.

DIN C4 letter slot and 12-litre capacity

The 300 × 110 × 385 mm (W × H × D) compartments each provide approx. 12 litres of volume. The 35 × 265 mm letter slot also accepts larger DIN C4 letters in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

Rubber lips dampen the letter flaps. Each compartment is fitted with a robust lock, two keys with a key number and a protected changeable nameplate beneath the letter slot.

Screw fixing or concreting

Depending on the variant, the stainless steel support elements are either bolted to a load-bearing foundation or permanently concreted in. This allows the system to be installed to suit the local building situation.

BASIC Plus – colour of your choice

The powder-coated V2A mailboxes can be selected in an RAL colour to suit the architecture. Brushed stainless steel support elements, modular construction and German manufacture complete the durable system.

Equipment of the BASIC Plus 385X ST-R mailbox system

Mailbox system

Number of mailboxes 24 separately lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Capacity Approx. 12 litres per compartment
Material Stainless steel V2A, powder-coated in the selected RAL colour
Letter slot 35 × 265 mm, suitable for DIN C4 portrait
Standard Mailboxes compliant with DIN EN 13724

Mail and operation

Letter flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening From left to right
Keys 2 keys with key number per compartment
Nameplate Changeable nameplate beneath the letter flap
Cladding Tight-fitting side cladding and sturdy rain hood

Support elements and installation

Support elements Ø 60 mm stainless steel V2A 1.4301, brushed
Installation types Available either for screw fixing or for concreting-in
Overall height Depending on the chosen support element variant
Base material Consistent use of stainless steel V2A
Construction Modular and assembly-friendly design
Manufacturing Made in Germany by Briefkasten Manufaktur Lippe

Installation of the freestanding system

For screw fixing a level, sufficiently load-bearing foundation is required. For the concreting-in variant the support elements must be set plumb and permanently anchored in a suitably dimensioned concrete foundation. Fixings and foundation should be adapted to the system weight, ground conditions and local circumstances.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and soiling only when items are fully inserted and the letter flaps are closed. Protruding letters or magazines can prevent the flaps from closing completely.

BASIC Plus construction and spare parts

The BASIC Plus series is modular and assembly-friendly. The consistent use of stainless steel V2A supports a long service life; spare parts for BASIC Plus systems are available directly.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 24 letterboxes

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	900.0
Overall height in mm	1500.0 | 1700.0
Total width in mm	1065.0
Depth in mm	435.0
Weight in kg	109
Delivery condition	Delivery is made in blocks; freestanding elements / mailbox are delivered split.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618