Design Mailbox Column GRIMM - Colour of choice with preparation for camera and intercom on the left | Left | Individualised preparation | ? Colour of your choice



Product number 562-STLPK-SPL-SF-IND

Product description

Design Mailbox Parcel Column GRIMM with Preparation for Camera and Intercom – The Premium Solution for Mail & Parcels

The Mailbox Parcel Column GRIMM combines modern design with first-class craftsmanship – ideal for discerning builders and architects seeking an elegant solution for the integration of a camera and built-in speaker. Thanks to the **fully welded construction**, there are no visible screws or rivets, creating an exceptionally sophisticated appearance. The **mailbox and parcel box module** is also fitted with invisible fastening – ensuring a high-quality aesthetic at the highest level.

Particularly practical: The modules can be replaced even after many years. This keeps your mailbox parcel column flexible and future-proof at all times. This model is manufactured by the **Mailbox Manufactory in Bad Salzuflen** – quality work "Made in Germany".

A unique feature of the system is the proven mechanical parcel lock with T-handle, which allows for delivery independent of the deliverer: The deliverer places the parcel in the easily accessible compartment and locks it with a simple click. The compartment remains locked until the entitled user opens it with their key. A clever solution – without electronics, without an app, but with maximum security. Whether DHL, UPS, DPD, GLS, Hermes or TNT – any parcel service can use the parcel box. This means you can receive your deliveries safely and conveniently, even when you are not at home.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The GRIMM mailbox is not only an optical highlight, but also leads the way in terms of functionality and quality. Thanks to the innovative push-key lock, the mailbox can be easily and comfortably operated with one hand. Open the door with a push and close it without using a key. The lock is optimally protected from weather influences. Additionally, the mailbox features an intelligent retrieval system: The door opens from top to bottom, ensuring that the mail stays securely in the box and cannot fall out at you. The insertion is also comfortable from the front, with high-quality axle dampers ensuring a gentle closing of the insertion flap.

 Compatible with common manufacturers: LOXONE, Siedle, Busch-Jaeger, Gira, TCS, Legrand BTicino, Ritto, STR Elektronik, ELCOM, HHG, Comelit, Mobotix, HIKVISION and many others available upon request.

The **preparation for a camera** (not included) provides a secure foundation for modern video surveillance right at the entrance. A **preparation for built-in speakers** is also possible – optionally with a suitable universal adapter for different intercom systems. This allows the mailbox to be perfectly adapted to your existing technology.

Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM mailbox impresses with its durable quality, timeless design, and thoughtful functionality.

Mailbox Module with Function Box – Comfort and Functionality

- Manufactured from 2 mm stainless steel V2A 1.4301, powder-coated in your choice of colour.
- The Gira System 106 can be seamlessly integrated into a flush design. The preparation is intended for 3 GIRA 106 system modules. The modules can be installed flush with the simple holding system (surface-mounted housing 5503910 required!). WITHOUT GIRA system components!
- Innovative push-key lock includes 2 keys with key number, pleasant closure without a key, optimally protected from weather.
- The retrieval door with opening limiter opens from top to bottom to prevent your mail from falling out.
- Front insertion with high-quality axle dampers for very quiet insertion of mail.
- DIN/EN 13724 compliant mailbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape – even large letters remain intact. Additional retrieval protection made from stainless steel integrated.
- Optimal weather protection due to recessed fascia.
- Double box system: The fascia can be conveniently installed after the construction work is completed and replaced at any time.

Parcel Box Module – Secure and Spacious

- Manufactured from 2 mm stainless steel V2A 1.4301, powder-coated in your choice of colour.
- Parcel volume: 130 litres – ideal for large shipments.
- Maximum parcel dimensions: 505 × 655 × 340 mm (W × H × D).
- Front parcel retrieval door 510 × 660 mm, opens from left to right.
- Door equipped with durable stainless steel hinges.
- Innovative T-handle parcel lock with latch closure.
- Includes 2 keys with key number.
- Icon "PARCEL" as stainless steel laser engraving.

Construction & Details

- Fully welded stand column made from 2 mm stainless steel V2A 1.4301, powder-coated in your choice of colour.
- Construction height: 1.70 m.
- Invisible cable routing possible through the body.
- Footplate made from stainless steel (10 mm thick), concealed by an elegant cover.
- No visible screws or rivets – seamless design.
- Modules are replaceable even after years – maximum future security.

Important Information:

To achieve optimal water protection for your mail, the mailbox or mailbox system should, if possible, be located under a canopy.

The mail is only protected from water if it is completely placed in the box and the insertion flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water entry is not a basis for a complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GRIMM
Number of bell push buttons	1 button
Functions	Light button, Camera, Intercom, Fingerprint, Keypad, Parcel compartment
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND, Mobotix
Number of boxes	with 1 parcel box, with 1 letterbox
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving, House number as laser cut, illuminated
Removal of mail	On the front
Boxes by volume	Large > 16 litres

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	Mailbox 460.0 | 500.0 - Parcel Box 710.0 | 750.0
Width of single box in mm	Mailbox 560.0 | 600.0 - Parcel Box 560.0 | 600.0
Capacity in litres	Mailboxes 26.0 | Parcel Boxes 130.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Overall height in mm	1700.0
Total width in mm	Korpuss 640.0 | Base plate 730.0
Depth in mm	Body 352.0 | Base Plate 442.0
Weight in kg	95
Delivery condition	Delivery is made assembled.

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618