Designer through-the-wall letterbox GOETHE MDW - RAL colour of your choice - DoorBird video intercom | 390-560mm depth

Product number 215-MDW-1-SP-DB-560



Product description

Design through-wall letterbox GOETHE MDW - RAL colour of your choice - DoorBird video intercom

The modern GOETHE through-wall letterbox with a seamlessly integrated DoorBird IP video door station D2100E or D1100E in a flush-fit design. The DoorBird IP video door station D2100E or D1100E is the smart solution for your entrance door. The IP video door station can operate as a standalone unit or be integrated into an existing smart home platform. Existing conventional installations such as a door chime or an electric door/gate opener can also continue to be used with DoorBird and be controlled via the app.

Thanks to the variable shaft length between 300 mm and 390 mm or 390 mm and 560 mm, this letterbox can be installed in almost any masonry.

The dimensions of the individual compartments provide a capacity of approx. 24–44 litres; the large entry ensures that DIN C4 envelopes and magazines are not creased, even after several days away. The water-drip edge protects the interior mail optimally from the weather. The insertion flap is equipped with high-quality pivot dampers, ensuring quiet closing and preventing annoying rattling caused by the weather.

The letterbox systems of the GOETHE collection are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, easy spare-part assembly and straightforward self-installation. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the design, self-installation is uncomplicated.

Protected utility model according to DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality through-wall letterbox made entirely from stainless steel.
- Shaft made from stainless steel 1.4016 (non-rusting, magnetic stainless steel), untreated.
- Body made from stainless steel 1.4016 (non-rusting, magnetic stainless steel), powder-coated in RAL colour of your choice.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- The letterbox complies with DIN/EN 13724. Entry slot size (3.5 cm x 36.0 cm) for C4 landscape; large letters fit without bending.
- Letter entry & retrieval door made of stainless steel V2A 1.4301, powder-coated in RAL colour of your choice.
- Letters are inserted and removed from the front. Insertion flap with high-quality pivot dampers for very quiet mail insertion.
- Retrieval door opens from top to bottom, so your mail cannot fall out towards you.
- Function box (W x H 400 x 200 mm) made from stainless steel 1.4016 (non-rusting, magnetic stainless steel), powder-coated in RAL colour of your choice.
- Optional with house number and name inscription, laser-engraved.
- Includes integrated DoorBird IP video door station D2100E or D1100E.
- Plaster cover frame made from stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.
- Variable shaft length 300–390 mm or 390–560 mm. External dimensions of mail-through shaft W 380 mm x H 180 mm.
- External dimensions front W 450 mm x H 650 mm; rear W 450 mm x H 250 mm.

Important information

Camera or intercom provision

The intercom systems must be connected by an electrician. For planning, installation and commissioning, please consult a qualified electrician you trust.

Water protection

To achieve optimal water protection for your mail, the letterbox or letterbox system should, where possible, be located under a porch or canopy.

Mail is only protected from water when it is placed completely inside the box and the insertion flap is closed. Mail that is not fully inserted can allow moisture and dirt to enter the letterbox. This system is protected against water ingress in accordance with DIN EN 13724. Water ingress does not constitute grounds for a complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Connection technology	LAN
Number of bell push buttons	1 button
Functions	Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	DoorBird
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving, House number as laser cut, illuminated
Name labelling	Laser-engraved , Illuminated laser-cut engraving
Number of boxes	with 1 letterbox
Boxes by volume	Jumbo > 30 litres
Mounting type	Wall throw-through
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 200.0 | FK 400.0
Width of single box in mm	400,0
Capacity in litres	24,0 - 32,0 | 32,0 - 44,0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Overall height in mm	recommended 1500.0 - 1700.0
Total width in mm	450,0
Depth in mm	BK 300.0 - 390.0 | BK 390.0 - 560.0 | FK 100.0
Weight in kg	24
Delivery condition	Supplied partially disassembled


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images











Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618