Freestanding design parcel box GOETHE with 2 letterboxes and rear access - airlock system - RAL colour of your choice | with 2 mailboxes (1x2) | Rear mail retrieval | Parcel compartment 400x1200x400



Product number 215-STL-PK-2BK-PE-H

Product description

Freestanding design parcel box GOETHE® with 2 letterboxes and rear retrieval - sluice system - RAL colour of your choice

Parcel delivery has changed significantly in recent years – customers today expect more flexibility and security than ever before. With the GOETHE® parcel box from Briefkasten Manufaktur you are opting for an optimal combination of innovative technology and outstanding design, manufactured from high-quality stainless steel and aluminium. Thanks to the rear retrieval side, this parcel box is ideal for installation in fences or on property boundaries, allowing you to collect your parcels and letters conveniently and securely from the inside of your property.

The GOETHE® parcel box features a specially designed delivery sluice. Once the delivery courier places your parcel in the sluice and closes it, the parcel automatically drops into the locked retrieval compartment beneath. The delivery sluice is immediately ready for further deliveries after this process and is isolated from the retrieval compartment itself, ensuring the highest level of security for your parcels. This construction enables carrier-independent parcel receipt, which can be used by any parcel carrier (e.g. DHL, DPD, TNT, GLS, Hermes, etc.). The spacious interior of the GOETHE® parcel box is designed to accommodate a DHL Parcel M and even several smaller consignments. Depending on placement, up to four M-size parcels can be stored simultaneously. Insertion of letters, magazines and catalogues is also possible without issue (no compartment dividers present).

The dimensions of the letterboxes provide a capacity of approximately 32 litres; the large deposit slot guarantees that DIN-C4 envelopes and magazines will not be creased, even after several days away. The arrangement of the lock means these letterboxes are designed so that the retrieval door prevents the post from falling out towards you. The water-drip edge optimally protects the internal mail from the weather. The insertion flap is fitted with high-quality axle dampers, ensuring quiet closing and preventing annoying rattling due to weather influences.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Briefkasten Manufaktur places particular emphasis on the selection of high-quality materials. The use of stainless steel in the manufacture of the GOETHE® parcel box ensures extremely high corrosion resistance and a strikingly attractive surface finish. Our quality assurance begins with the selection of our raw material suppliers and only ends when the parcel box arrives with you in the required quality. Rely on the GOETHE® parcel box for a secure, flexible and stylish solution to your parcel delivery needs. Be convinced by a product that combines traditional craftsmanship with cutting-edge technology – entirely in the spirit of Briefkasten Manufaktur.

Protected utility model according to DPMA file reference DE: 20 2021 101 679.5

- High-quality parcel letterbox made from stainless steel and aluminium, powder-coated in the RAL colour of your choice.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- Letterboxes (BH 400x200mm) made from stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of your choice.
- 3 lever locks incl. 2 keys with key number.
- Letters are deposited from the front and retrieved from the rear. Insertion flap with high-quality axle dampers for very quiet insertion of mail.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape, allowing large letters to be inserted without folding.
- Retrieval door opens from top to bottom. This prevents the mail from falling out towards you.
- Parcel box (BH 400x1200mm) made from stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of your choice with stainless-steel laser marking.
- Parcel compartment volume: 128 litres, max. parcel dimensions: 355 x 375 x 305 mm (W x H x D), corresponding to parcel size M.
- Parcel inlet flap with damping for quiet closing.
- Optimal protection from rain through rain-drip edges and a rain canopy made from 3 mm aluminium AlMg3 W19, powder-coated in RAL colour of your choice.
- Side cladding made from 3 mm aluminium AlMg3 W19, powder-coated in RAL colour of your choice.
- Rear panel made from 1 mm stainless steel 1.4301 V2A, powder-coated in RAL colour of your choice.
- Invisible mounting within the column. Overall height is 1.65 m.

Important information

Water protection

To achieve optimal water protection for your mail, the letterbox or letterbox system should, where possible, be located under a canopy.

Mail is only protected from water if it is completely placed inside the box and the insertion flap is closed. Partially inserted mail allows moisture and dirt to enter the letterbox. This system is protected against water ingress in accordance with DIN EN 13724. Water ingress is not grounds for complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Functions	Newspaper compartment, Parcel compartment
Number of boxes	with 1 parcel box, with 2 letterboxes
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Mounting type	Free-standing
House number	House number as laser engraving
Name labelling	Laser-engraved
Boxes by volume	Jumbo > 30 litres
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 200.0 | PK 1200.0
Width of single box in mm	400,0
Capacity in litres	BK 32.0 | PK 128.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Overall height in mm	1650,0
Total width in mm	408,0
Depth in mm	400.0 + 25.0 Rain roof
Weight in kg	78
Delivery condition	Delivery is assembled


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing






Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618