5-unit stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with doorbell box - stainless steel V2A | Left | 150mm depth | with 5 mailboxes (3x2) | Stainless steel, brushed



Product number 382XA-VA-5-SP-150-L

Product description

5-unit stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - Stainless steel V2A

High-quality surface-mounted mailbox for 5 households manufactured in Germany by Briefkasten Manufaktur. The complete surface-mounted mailbox system is made of stainless steel V2A, brushed. The very high-quality workmanship and the well thought-out concept make this mailbox system our top seller. A drip edge for optimal water protection, a continuous rubber lip for quiet posting, the robust interchangeable nameplate, a practical mail retention bracket and the very sturdy lock characterise this surface-mounted mailbox system.

Thanks to the design, self-installation is straightforward. The mailbox system is prepared for uncomplicated complete installation; there is no need for elaborate wall mounting of individual boxes. 5-unit surface-mounted mailbox system completely made of stainless steel V2A 1.4301, brushed.

Benefits at a glance

Stainless steel side cladding with canopy

Side cladding and canopy are made of stainless steel V2A, brushed, and complement the unit as a structurally coordinated weather protection.

Generous letter slot

The letter slot measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox complies with DIN EN 13724.

Quiet posting and convenient collection

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The integrated flap damping with rubber seal reduces impact noise during posting. The door opens from left to right. The mail retention bracket holds items back during collection.

Integrated bell and intercom area

Bell/intercom section according to the chosen configuration. The bell button used is the stainless steel bell button Type 4. Optionally prepared with a speaking grille for the installation of commercially available modular intercom systems or built-in speakers. (Modular intercom/built-in speaker not included). An option with the Comelit Ultra video complete set is also available.

Quality manufacture and thoughtful construction

The unit is manufactured at Briefkasten Manufaktur in Germany. The design is intended for straightforward self-assembly.

Equipment and product details

Mailbox system

Number of mailboxes 5 separately usable compartments
Arrangement 3 × 2
Depth 150 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox finish Brushed
Bell/intercom section Bell/intercom section or integrated bell box

Mail and operation

Letter slot 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Flap Sound-damped by rubber seal
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the letter slot
Mail retention bracket Integrated in each mailbox

Mounting and equipment

Mounting type Surface-mounted
Drip edge Integrated into the construction
Canopy Made of stainless steel V2A, brushed
Side cladding Made of stainless steel V2A, brushed
Mounting materials For wall mounting incl. mounting rail and fixing materials (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Mail items are optimally protected from moisture and soiling when fully posted and the flap is closed. Protruding items may prevent the flap from closing completely.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on wall mounting

Before mounting, the load-bearing capacity and condition of the wall must be checked. Fixings must be matched to the weight of the unit and the existing wall construction.

Product properties

Series	BASIC
Number of bell push buttons	5 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 5 letterboxes
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	1065.0
Total width in mm	1065.0
Depth in mm	100.0 | 150.0
Weight in kg	21
Delivery condition	Delivery is made pre-assembled/partially disassembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618