16-unit (8x2) freestanding mailbox system Design BASIC 385 ST-R - stainless steel, RAL 7016 anthracite grey | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | BI-Color brushed stainless steel | RAL 7016 anthracite grey | with 16 mailboxes



Product number 385-7016VA-16

Product description

Freestanding 16-unit mailbox system BASIC 385 for 16 households – BI-Color stainless steel / RAL 7016

For larger apartment buildings, residential complexes and demanding commercial properties, the freestanding BASIC 385 as a system for 16 households offers a durable and clear entrance solution. Thanks to the independent freestanding installation, the mailbox system can be positioned to suit the plot and access situation.

The system configuration is matched to the respective number of units and, together with a canopy and side cladding, forms a closed unit.

The mailbox bodies are made of galvanised steel in RAL 7016 Anthracite grey fine-textured matt. Brushed stainless steel V2A drop flaps provide a high-quality BI-Color accent. A close-fitting side cladding with canopy unites the individual mailboxes into a single enclosed system.

Each compartment has an aperture of 35 × 265 mm for DIN C4 items in portrait orientation. A noise-damping rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox is supplied with two keys bearing a key number and a replaceable nameplate beneath the drop flap.

The advantages of the BASIC 385 at a glance

Solid stainless-steel stand elements

Round-tube stand elements with an approximate 60 mm diameter made of brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Clear allocation for all households

The system provides 16 separately usable compartments and can be positioned independently of a building wall at an easily accessible location on the property.

Large aperture in accordance with DIN EN 13724

The insertion opening of 35 × 265 mm is designed for DIN C4 items in portrait orientation. Larger envelopes can also be posted without folding.

Quiet posting and comfortable retrieval

A noise-damping rubber lip reduces the slamming of the drop flaps. Mail is retrieved from the front via doors that open from left to right.

Proven BASIC quality Made in Germany

The combination of a solid choice of materials, DIN EN 13724-compliant compartments and an installation-friendly construction makes the BASIC 385 a long-lasting solution for daily use.

Equipment of the BASIC 385 mailbox system

Mailbox system

Design Product-specific system configuration
Number of mailboxes 16 separately usable compartments
Material of mailboxes Galvanised steel with stainless-steel drop flaps
Finish BI-Color: RAL 7016 Anthracite grey fine-textured matt / brushed stainless steel V2A
Canopy / side cladding Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-textured matt
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail handling and operation

Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Drop flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening Opens from left to right
Keys 2 keys with key number per mailbox
Nameplate Replaceable nameplate beneath the drop flap
Standard Mailboxes in accordance with DIN EN 13724

Stand elements and equipment

Stand elements Round tube approx. 60 mm from stainless steel V2A 1.4301, brushed
Types of installation Either for screw mounting or for concreting in
Fixings Anchor bolts for screw mounting not included; select suitable anchors for the foundation separately

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres of volume; depending on the variant 300 × 220 × 385 mm with approx. 25 litres of volume is also available.

Installation by concreting in

For the freestanding system we recommend a suitably dimensioned concrete foundation. When concreting in, the stainless-steel stand elements must be aligned plumb and permanently anchored in the foundation. Foundation size and embedment depth should be matched to ground conditions, system weight and local circumstances.

Screw mounting on a foundation

For screw mounting a flat and load-bearing concrete foundation is required. Suitable anchor bolts or fixing materials should be chosen according to the substrate and the system load. For the BASIC-385-ST-R versions, anchor bolts are not included in the standard scope of delivery.

Note on weather protection

Mail is best protected against moisture and dirt only when fully inserted and the drop flap is closed. Overhanging items can prevent the flap from closing completely. In extreme weather conditions, moisture may enter the mailbox despite compliant design.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Number of boxes	with 16 letterboxes
Name labelling	Nameplate
Mounting type	Free-standing
Removal of mail	On the front

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	600.0
Overall height in mm	1500.0 | 1700.0
Total width in mm	760.0
Depth in mm	435.0
Weight in kg	81
Delivery condition	Delivery is made in blocks; freestanding elements/mailbox are delivered split.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618