# 2-unit stainless steel surface-mounted mailbox system Design BASIC 385XA AP - RAL colour of your choice | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | ? Colour of your choice | with 2 letterboxes (1x2)



**Product number** 385XA-2S

## Product description

## Slim surface-mounted mailbox system BASIC Plus 385XA for 2 households – RAL colour of your choice

The BASIC Plus 385XA surface-mounted mailbox system for 2 households is a robust wall-mounted solution for two-family houses, homes with a granny flat and smaller office buildings. The vertically arranged S-configuration reduces horizontal space requirements and makes particularly efficient use of the available wall height.

The BASIC Plus mailbox system is consistently made from stainless steel V2A and is powder-coated in the chosen RAL colour. The modular construction is designed for durability, easy installation and good spare parts availability.

Each mailbox measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm entry opening is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox includes two keys with key number and an interchangeable nameplate beneath the entry flap.

## The advantages of the BASIC Plus 385XA surface-mounted system at a glance

### Rain hood and side panels

The rain hood and side panels unite the individual mailboxes into a closed surface-mounted system. The coordinated cladding ensures a calm front and a neat finish on the façade.

### DIN C4 entry and 12 litre volume

The 300 × 110 × 385 mm (W × H × D) mailboxes each offer approx. 12 litres of volume. The 35 × 265 mm entry opening also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

### Quiet insertion and secure assignment

The rubber lip damps the entry flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear use of the individual mailboxes.

### Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail facilitates installation; fixings including screws and wall plugs are included in the described configuration.

### BASIC Plus in RAL colour of your choice

Stainless steel V2A provides the robust basis; the powder coating can be executed in the desired RAL colour to match the façade, front door and window profiles. BASIC Plus also stands for consistent V2A use, modular construction and readily available spare parts.

## Equipment of the BASIC Plus 385XA mailbox system

### Mailbox system

**Number of mailboxes** 2 separately lockable mail compartments
**Single compartment** 300 × 110 × 385 mm (W × H × D)
**Volume** Approx. 12 litres per mailbox
**Material** Stainless steel V2A, powder-coated in RAL colour of your choice
**Finish** Powder coating in RAL colour of your choice
**Standard** DIN EN 13724

### Post and operation

**Entry opening** 35 × 265 mm, suitable for DIN C4 portrait
**Entry flaps** With noise-damping rubber lip
**Mail retrieval** Front access
**Door opening** From left to right
**Keys** 2 keys with key number per mailbox
**Nameplate** Interchangeable nameplate beneath the entry flap

### Cladding and wall mounting

**Side cladding** Close-fitting design
**Rain hood** Solid, matching canopy
**Type of mounting** Surface-mounted wall installation
**Mounting aid** Mounting rail
**BASIC Plus** Modular construction with directly available spare parts
**Fixings** Screws and wall plugs included; suitability for the wall construction on site must be checked
**Manufacture** Made in Germany by Briefkasten Manufaktur Lippe

**Note on wall mounting**

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems appropriate fixing solutions must be determined on site.

#### Note on weather protection

Post is best protected from moisture and dirt only when items are fully inserted and the entry flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

#### BASIC Plus construction

The BASIC Plus series consistently relies on stainless steel V2A and a modular, installation-friendly construction. Spare parts are directly available for BASIC Plus systems.

## Product properties

| | |
|---|---|
| **Surface/colour** | RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white |
| **Series** | BASIC |
| **Boxes by volume** | Normal > 10 litres |
| **Name labelling** | Nameplate |
| **Material** | Stainless steel V2A 1.4301 |
| **Number of boxes** | with 2 letterboxes |
| **Removal of mail** | On the front |
| **Mounting type** | Surface-mounted |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimensions

| | |
|---|---|
| **Height of single box in mm** | 110.0 |
| **Width of single box in mm** | 300.0 |
| **Capacity in litres** | 12 |
| **Height of letterbox slot in mm** | 35.0 |
| **Width of letter slot in mm** | 265.0 |
| **Height of letterbox in mm** | 220.0 |
| **Width of letterbox system in mm** | 300.0 |
| **Total width in mm** | 308.0 |
| **Depth in mm** | 435.0 |
| **Weight in kg** | 15 |
| **Delivery condition** | Delivered fully assembled. |

### Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618


## More images











Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618