# 13-unit freestanding stainless steel mailbox system Design BASIC Plus 385XP ST-T with bell box - RAL colour of your choice | Left | ? Colour of your choice | with 13 mailboxes



**Product number** 385XP-13S-L

## Product description

## Freestanding mailbox system BASIC Plus 385XP ST-T with doorbell/intercom unit for 13 residents – doorbell unit left / S-configuration

The freestanding BASIC Plus 385XP ST-T mailbox system for 13 residents combines robust stainless steel letterboxes with an integrated doorbell/intercom unit. Mailbox system and visitor communication are thus brought together in a stable, visually unified entrance solution for larger residential complexes, multi-occupancy properties and commercially used buildings. In this version, the doorbell/intercom unit is positioned on the left.

The letterboxes are made of stainless steel V2A and are high-quality powder-coated in a RAL colour of your choice. Particularly noteworthy are the solid support posts made from anodised aluminium profile: they are also powder-coated, executed for high stability and form an exceptionally robust base for the entire mailbox system. Stainless steel and solid aluminium combine durability with a clear, premium architecture.

Each mailbox measures 300 × 110 × 385 mm (W × H × D) and offers approximately 12 litres of capacity. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait orientation. A sound-dampening rubber lip on the flap, front access for mail collection, a robust lock and the interchangeable nameplate ensure comfortable daily use.

## The advantages of the BASIC Plus 385XP ST-T system at a glance

### Mailbox and doorbell in one unit

13 letterboxes are combined with a doorbell/intercom unit. This reduces additional separate components at the property entrance and ensures an orderly overall appearance.

### Solid aluminium support posts

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Solidly manufactured, anodised aluminium profiles form the especially robust base of the system. The powder-coated profile construction is designed for high stability and long-term outdoor use.

### DIN C4 slot with 12-litre capacity

The 300 × 110 × 385 mm letterboxes each offer approx. 12 litres of post volume. The 35 × 265 mm slot accepts DIN C4 mail in portrait format.

### Doorbell/intercom unit prepared

The integrated doorbell/intercom unit provides a central location for bell buttons and the integration of compatible intercom technology. The electrical components are executed to suit the planned system.

### BASIC Plus – built for high durability

The consistent combination of stainless steel V2A and solid aluminium profiles makes the 385XP an especially robust mailbox system. The modular construction simplifies installation, maintenance and the later replacement of individual components.

## Equipment of the BASIC Plus 385XP ST-T mailbox system

### Mailbox system

**Number of mailboxes** 13 separately lockable letterboxes
**Individual box** 300 × 110 × 385 mm (W × H × D)
**Mail volume** Approx. 12 litres per mailbox
**Mailbox material** Stainless steel V2A, powder-coated in a RAL colour of choice
**Mail slot** 35 × 265 mm, suitable for DIN C4 portrait
**Manufacture** Made in Germany by Briefkasten Manufaktur Lippe

### Mail and additional functions

**Doorbell/intercom unit** Integrated into the mailbox system
**Position** Left
**Doorbell buttons** Corresponding to the number of residents
**Intercom technology** Preparation for a compatible door communication solution
**Electrical connection** To be provided on site according to the chosen intercom system
**Note** Intercom system and connection components depend on the selected configuration

### Solid aluminium support posts

**Support posts** Solid anodised aluminium profile, powder-coated
**Construction** Executed for particularly high robustness and load capacity
**Surface** RAL colour matching the mailbox system
**Installation** Freestanding installation on a suitable foundation
**Side cladding** Close-fitting design
**BASIC Plus** Modular, maintenance-friendly and installation-oriented design

**Note on the doorbell/intercom unit**

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The specific intercom technology, power supply and cabling depend on the selected door communication solution. Installation and connection should be carried out by suitably qualified specialists.

#### Foundation and secure installation

The solid aluminium support posts require a level and sufficiently load-bearing ground or a suitably dimensioned concrete foundation. Foundation size, anchoring and alignment must be matched to the system weight, dimensions, ground conditions and local loads.

#### Note on weather protection

A rain canopy, close-fitting side cladding and rain drainage channels support weather protection. Mail items must be fully inserted so that the flap can close completely.

#### BASIC Plus – robust and modular

The BASIC Plus construction relies on stainless steel V2A and solid aluminium profiles. The modular design simplifies installation and the later replacement of individual components and is engineered for long service life.

## Product properties

| | |
|---|---|
| **Surface/colour** | RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white |
| **Series** | BASIC |
| **Functions** | Light button, Intercom |
| **Functional box prepared for manufacturer** | GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit |
| **Boxes by volume** | Normal > 10 litres |
| **Name labelling** | Nameplate |
| **Material** | Aluminium AlMg3 W19, Stainless steel V2A 1.4301 |
| **Mounting type** | Free-standing |
| **Removal of mail** | On the front |
| **Number of boxes** | with 13 letterboxes |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimensions

| | |
|---|---|
| **Height of single box in mm** | 110.0 |
| **Width of single box in mm** | 300.0 |
| **Capacity in litres** | 12 |
| **Height of letterbox slot in mm** | 35.0 |
| **Width of letter slot in mm** | 265.0 |
| **Height of letterbox in mm** | 660.0 |
| **Width of letterbox system in mm** | 600.0 |
| **Overall height in mm** | 1200.0 \| 1600.0 |
| **Total width in mm** | 980.0 |
| **Depth in mm** | 435.0 |
| **Weight in kg** | 78 |
| **Delivery condition** | Delivery is in blocks; freestanding elements / mailbox supplied in parts. |


### Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen








Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# More images











Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618