22-unit (8x3) surface-mounted mailbox system Design BASIC 385A- VA AP - stainless steel V2A, brushed | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 22 mailboxes | Stainless steel, brushed



Product number 385A-VA-22W

Product description

Wide surface-mounted mailbox system BASIC 385A for 22 households – brushed stainless steel V2A

The BASIC 385A surface-mounted mailbox system for 22 households is a robust wall solution for larger apartment buildings, residential complexes and commercial properties. The wider W-version distributes the mailboxes over a multi-column front and keeps the overall system comparatively lower and more compact.

The mailbox system is made from high-quality stainless steel V2A in a brushed finish. Mailboxes, cladding and rain canopy form a timeless, low-maintenance and robust stainless steel unit.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox includes two keys with key number and a changeable nameplate beneath the flap.

The advantages of the BASIC 385A surface-mounted system at a glance

Rain canopy and side cladding

The rain canopy and side panels group the individual mailboxes into a closed surface-mounted system. The coordinated cladding provides a calm front and a neat finish on the façade.

DIN C4 inlet and 12-litre capacity

The 300 × 110 × 385 mm (W × H × D) compartments each offer approx. 12 litres of volume. The 35 × 265 mm inlet accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet mail drop and secure allocation

The rubber lip cushions the flap. Robust locks, two keys with key number and protected changeable nameplates ensure clear use of the individual compartments.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail simplifies installation; fixings with screws and wall plugs are included in the described configuration.

Entirely in brushed stainless steel

The V2A finish combines a high-quality metal surface with a robust construction for durable surface-mounted mailbox systems. The system is manufactured in Germany at the Briefkasten Manufaktur.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 22 separately lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per compartment
Material Stainless steel V2A 1.4301, brushed
Finish Stainless steel V2A 1.4301, brushed
Standard DIN EN 13724

Mail and operation

Inlet 35 × 265 mm, suitable for DIN C4 portrait
Inlet flaps With noise-dampening rubber lip
Mail retrieval From the front
Door opening Left to right
Keys 2 keys with key number per mailbox
Nameplate Changeable nameplate below the inlet flap

Cladding and wall installation

Side cladding Close-fitting design
Rain canopy Solid, matching the system
Type of installation Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; suitability for the on-site wall structure must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall installation

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall structure; for other substrates or thermal insulation composite systems, appropriate fixing solutions must be determined on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the inlet flap is closed. Protruding letters or magazines may prevent the flap from closing completely.

Product properties

Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Number of boxes	with 22 letterboxes
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	900.0
Total width in mm	908.0
Depth in mm	435.0
Weight in kg	105
Delivery condition	Delivered partially disassembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618