Design flush-mounted letterbox GRIMM - Colour of your choice - LOXONE Intercom/Code Touch 1x1 prepared left | Left | ? Colour of your choice | Prepared for a 1x1 LOXONE Intercom | Flush-mounted

Product number 562-UP-SPL-1-SF-LOX1



Product description

Design Mailbox GRIMM® – A Masterpiece of Mailbox Manufacturing

The Design recessed mailbox GRIMM combines modern design with first-class craftsmanship – ideal for discerning builders and architects seeking an elegant solution for integrating the LOXONE intercom. Made from high-quality stainless steel and entirely "Made in Germany" by the Lippe Mailbox Manufactory, this model represents durability, functionality, and a stylish appearance. The powder-coated front panel made of 2 mm V2A stainless steel (1.4301) impresses with its timeless aesthetic and high corrosion resistance. The flush design allows for seamless integration of up to two LOXONE system modules (not included) via a well-thought-out holding system. The preparation is intended for one LOXONE intercom (including a hole for sound egress).

The GRIMM® mailbox is not only a visual highlight but also leads in terms of functionality and quality. Thanks to the innovative push-key lock, the mailbox can be easily and comfortably operated with one hand. Open the door with a push and close it without using a key. The lock is optimally protected from weather influences. Additionally, the mailbox features an intelligent retrieval system: the door opens from top to bottom, ensuring that the mail remains safely inside and does not fall out. The mail is also conveniently inserted from the front, with high-quality axle dampers ensuring a gentle closing of the mail flap. What makes the GRIMM particularly unique is the double box system: the installation box can be fitted during the construction phase, while the front panel is only installed after the building works are completed – for maximum flexibility in the future and protection from dirt and dust during the construction phase. The insertion box is made of stainless steel 1.4016 and has pre-punched cable entry points on all sides to facilitate easy electrical installation.

Thanks to the DIN/EN 13724 standard, the GRIMM is ideally suited for large C4-format letters, which can be inserted without creasing. The GRIMM® mailbox impresses with its durable quality, timeless design, and thoughtful functionality.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality mailbox made entirely of stainless steel for recessed mounting.
- Front panel made of 2 mm V2A stainless steel 1.4301, powder-coated in the desired colour.
- Quality manufacturing – Made in Germany by Lippe Mailbox Manufactory.
- The LOXONE intercom can be seamlessly integrated into the flush design and replaced at any time. Preparation is provided for one LOXONE intercom (including a hole for sound egress). WITHOUT LOXONE intercom/system components!
- Innovative push-key lock including 2 keys with key number, convenient locking without a key, optimally protected from weather.
- The retrieval door with opening limiter opens from top to bottom to prevent your mail from falling out.
- Front insertion with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724 compliant mailbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape – even large letters remain undamaged. Additional retrieval protection made of stainless steel integrated.
- Optimal weather protection due to recessed panel.
- Double box system: Ideal for recessed mounting. The panel can be conveniently installed after the construction works are completed.
- Insertion box made of stainless steel 1.4016 (corrosion-resistant, magnetic stainless steel) with pre-punched cable entry points on all sides.

Important Information:

To achieve optimal water protection for your mail, the mailbox or mailbox system should ideally be located under a canopy.

Mail is only protected from water if it is fully placed inside the box and the mail flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GRIMM
Functions	Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	LOXONE
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	460.0
Width of single box in mm	560.0
Capacity in litres	26.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	External dimensions 500.0 | Installation dimensions 460.0
Width of letterbox system in mm	External dimensions 600.0 | Installation dimensions 560.0
Depth in mm	150.0
Weight in kg	19
Delivery condition	Delivery is provided assembled.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618


600
150
152
500
560
400
350
460


Push-Key-Schloss
Nur noch stecken!


GRIMM

