3-unit surface-mounted mailbox system Design BASIC 385A-9016 AP - RAL 9016 traffic white | RAL 9016 Traffic White, fine-textured matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 3 mailboxes (1x3)



Product number 385A-9016-3S

Product description

Slim surface-mounted mailbox system BASIC 385A for 3 households – RAL 9016 Traffic White

The BASIC 385A surface-mounted mailbox system for 3 households is a robust wall-mounted solution for multi-family houses, smaller residential complexes as well as office and medical practice buildings. The vertically organised S-configuration reduces horizontal space requirements and uses the available wall height particularly efficiently.

The mailboxes are made of galvanised steel and are powder-coated in RAL 9016 Traffic White with a fine-textured matt finish. The light surface provides a clear, understated design for modern entrance areas.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm insertion aperture is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is supplied with two keys with key number and a changeable nameplate located beneath the mail flap.

The advantages of the BASIC 385A surface-mounted system at a glance

Rain hood and side panels

The rain hood and side panels combine the individual compartments into a single surface-mounted system. The coordinated cladding provides a calm front and a neat finish to the façade.

DIN C4 insertion and 12 litres capacity

The compartments measuring 300 × 110 × 385 mm (W × H × D) each offer approx. 12 litres of volume. The 35 × 265 mm insertion aperture also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip cushions the mail flap. Robust locks, two keys with key number and protected changeable nameplates ensure clear allocation of the individual compartments.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail facilitates installation; fixings with screws and wall plugs are included in the described configuration.

Light finish in RAL 9016

Traffic White in a matt fine-textured finish appears bright and straightforward while protecting the galvanised steel construction of the surface-mounted system. The unit is manufactured in Germany by Briefkasten Manufaktur Lippe.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 3 individually lockable compartments
Individual compartment 300 × 110 × 385 mm (W × H × D)
Capacity Approx. 12 litres per mailbox
Material Galvanised steel, powder-coated in RAL 9016 Traffic White fine-textured matt
Surface RAL 9016 Traffic White fine-textured matt
Standard DIN EN 13724

Mail and operation

Insertion aperture 35 × 265 mm, suitable for DIN C4 portrait
Mail flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Changeable nameplate beneath the mail flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain hood Sturdy, unit-matching design
Mounting type Surface-mounted wall installation
Assembly aid Mounting rail
Fixings Screws and wall plugs included; suitability for the on-site wall construction must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation systems, appropriate fixing solutions must be determined on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Material	Steel, galvanised
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Removal of mail	On the front
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes
Surface/colour	RAL 9016 traffic white

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	330.0
Width of letterbox system in mm	300.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	20
Delivery condition	Delivered fully assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618