# Designer flush-mounted mailbox GOETHE UP, side-mounted, with 2N Verso - prepared for 2N Solo - RAL colour of your choice | Left | without newspaper compartment | 2N Verso/Solo prepared for single-module installation



**Product number** 215-UP-1-SPS-2N-1FACH-L

## Product description

## Design flush-mounted mailbox GOETHE UP, side-mounted with 2N Verso - prepared for 2N Solo - RAL colour of your choice

High-quality flush-mounted mailbox with lateral integration of the models 2N IP VERSO, 2N IP SOLO and 2N LTE VERSO in a flush-mounted design. The modern GOETHE mailbox is ideal for a demanding entrance area. The clean, linear design without a visible lock gives this mailbox a particularly elegant appearance. The 2N video intercom can be seamlessly integrated into the flush-mounted design and replaced at any time.

The dimensions of the individual box provide a capacity of approx. 16 litres; the large aperture guarantees that DIN C4 envelopes and magazines, or post after several days' absence, will not be creased. The innovative Push-Key lock is hidden unobtrusively inside the mailbox. The key is simply inserted into the existing opening (no turning required) and the door opens. With the lock arrangement, this mailbox is designed so that the retrieval door prevents the post from falling out towards you. The drip edge ensures that the internal post is optimally protected from the weather. The insertion flap is equipped with high-quality pivot dampers, ensuring quiet closing and preventing annoying rattling due to weather.

The mailbox systems of the GOETHE® collection are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy spare-part installation and straightforward self-assembly. Spare parts for all GOETHE® systems are directly available in our shop.

Thanks to the design, self-assembly is straightforward.

**Protected utility model under DPMA file reference DE: 20 2021 101 679.5**

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- Flush-mounted mailbox entirely made of stainless steel.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Mailbox (BH 400 x 400 mm) made of stainless steel 1.4016 (non-rusting, magnetic stainless steel), powder-coated in RAL colour of your choice.
- Innovative Push-Key lock with 2 keys.
- Letters are inserted and retrieved from the front. Insertion flap with high-quality pivot dampers for very quiet insertion of post.
- The mailbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape; large letters also fit without bending.
- The retrieval door opens from top to bottom. This prevents your post from falling towards you.
- Function box (BH 200 x 400 mm) made of stainless steel 1.4016 (non-rusting, magnetic stainless steel), powder-coated in RAL colour of your choice.
- Optionally with house number and name inscription, laser-engraved.
- Plaster cover frame made of stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.
- **The preparation is intended for 1–3 2N modules. WITHOUT 2N system components!**

### Important information

Camera or intercom preparation

**The intercom systems must be connected by an electrician. Please contact the electrician you trust for planning, installation and commissioning.**

Water protection

To achieve optimal water protection for your post, the mailbox or mailbox system should, if possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the insertion flap is closed. Partially inserted mail allows moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a reason for complaint.

## Product properties

| | |
|---|---|
| **Surface/colour** | RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white |
| **Series** | GOETHE |
| **Functions** | Camera, Intercom, Fingerprint, Keypad |
| **Functional box prepared for manufacturer** | 2N |
| **Name labelling** | Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving |
| **Material** | Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel) |
| **House number** | House number as laser engraving |
| **Removal of mail** | On the front |
| **Number of boxes** | with 1 letterbox |
| **Boxes by volume** | Large > 16 litres |
| **Mounting type** | Flush-mounted |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimensions


| | |
|---|---|
| **Height of single box in mm** | 400,0 |
| **Width of single box in mm** | 400,0 |
| **Capacity in litres** | 16 |
| **Height of letterbox slot in mm** | 35,0 |
| **Width of letter slot in mm** | 360,0 |
| **Height of letterbox in mm** | External dimension 452.0 \| installation dimension 410.0 |
| **Width of letterbox system in mm** | External dimension 652.0 \| installation dimension 610.0 |
| **Overall height in mm** | recommended 1500.0 - 1700.0 |
| **Total width in mm** | 652,0 |
| **Depth in mm** | 100.0 \| installation dimension 103.5 |
| **Weight in kg** | 12 |
| **Delivery condition** | Delivery is assembled |


### Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# More images








Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618











Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618