3-compartment freestanding mailbox Design BASIC 385 ST-R with doorbell box - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | Top | with 3 mailboxes



Product number 385-7016-3-SP

Product description

Freestanding 3-unit mailbox system BASIC 385 for 3 households with bell/intercom unit – RAL 7016 Anthracite grey

For apartment buildings, smaller residential complexes as well as office and medical practices, the freestanding BASIC 385 as a system for 3 households offers a durable and clear entrance solution. The independent floor mounting allows the mailbox system to be positioned according to the site and access situation.

The system configuration is matched to the respective number of households and, together with a rain canopy and side cladding, forms a closed unit.

The mailboxes are made of galvanised steel and are powder-coated in RAL 7016 Anthracite grey with a fine-textured matt finish. A close-fitting side cladding with rain canopy unites the individual mailboxes into a single enclosed system.

Each mailbox features a drop slot of 35 × 265 mm for DIN C4 items in portrait format. A noise-dampening rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox includes two keys with key number and a replaceable nameplate beneath the mail slot.

The integrated bell/intercom unit combines doorbell functionality and preparation for an intercom system directly in the mailbox installation.

Benefits of the BASIC 385 at a glance

Solid stainless-steel stand posts

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Round-tube stand posts with approx. 60 mm diameter made of brushed stainless steel V2A (1.4301) form a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

Clear allocation for all households

The system provides 3 separately usable mail compartments and can be positioned independently of a house wall at a conveniently accessible location on the property.

Large drop slot according to DIN EN 13724

The drop slot of 35 × 265 mm is designed for DIN C4 items in portrait format. Larger envelopes can also be deposited without bending.

Quiet drop-in and comfortable retrieval

A noise-dampening rubber lip reduces the impact of the drop flaps. Mail is retrieved from the front via doors that open from left to right.

Bell/intercom unit directly integrated

The bell/intercom panel is integrated directly into the mailbox system.

Equipment of the BASIC 385 mailbox system

Mailbox system

Design Product-specific system configuration
Number of mailboxes 3 separate mail compartments
Mailbox material Galvanised steel
Finish RAL 7016 Anthracite grey, fine-textured matt
Rain canopy / side cladding Galvanised steel, powder-coated in RAL 7016 Anthracite grey, fine-textured matt
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Drop slot 35 × 265 mm, suitable for DIN C4 portrait
Drop flaps With noise-dampening rubber lip
Mail retrieval Front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Replaceable nameplate beneath the mail slot
Standard Mailboxes compliant with DIN EN 13724

Stand posts and equipment

Stand posts Round tube approx. 60 mm made of brushed stainless steel V2A (1.4301)
Mounting options Selectable for bolt fixing or setting in concrete
Fixing Anchor bolts for bolt fixing not included; select appropriate anchors for the foundation separately
Doorbell/intercom unit Integrated functional panel
Intercom preparation Speaker aperture with universal adapter for common flush-mounted loudspeakers

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Doorbell buttons Round stainless-steel doorbell buttons matching the product design

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres volume; depending on the variant, 300 × 220 × 385 mm with approx. 25 litres volume is also available.

Installation by setting in concrete

For the freestanding system we recommend a suitably sized concrete foundation. When setting in concrete, the stainless-steel stand posts must be aligned plumb and permanently anchored in the foundation. Foundation size and embedment depth must be chosen according to ground conditions, system weight and local circumstances.

Bolt fixing on a foundation

For bolt fixing a level and load-bearing concrete foundation is required. Suitable anchor bolts or fasteners must be selected according to the substrate and the load on the system. For BASIC-385-ST-R versions, anchor bolts are not included in the standard scope of delivery.

Note on weather protection

Mail is best protected from moisture and dirt only when fully inserted and the drop flap is closed. Protruding items can prevent the flap from closing completely. In extreme weather conditions, moisture may enter the mailbox despite compliant construction.

Note on doorbell and intercom technology

The bell/intercom unit is prepared with a speaker aperture and universal adapter for common flush-mounted loudspeakers. Intercom systems or flush-mounted loudspeakers are not part of the standard equipment. Planning, connection and commissioning of electrical components should be carried out by a qualified electrician.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Series	BASIC
Number of bell push buttons	3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Surface/colour	RAL 7016 anthracite grey
Removal of mail	On the front
Number of boxes	with 3 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	440.0
Width of letterbox system in mm	300.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	26
Delivery condition	Delivery is in blocks; freestanding elements / mailbox are delivered separately.


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen





More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618