Design letterbox pedestal GRIMM - rear removal - colour of your choice with DoorBird video intercom system | DoorBird | ? Colour of your choice | Rear mail retrieval



Product number 562-STL-PE-H-SPO-1-SF-DB

Product description

Design Mailbox Column GRIMM with DoorBird Video Intercom – A Masterpiece of Mailbox Manufacturing

The GRIMM mailbox column with rear retrieval combines modern design with first-class craftsmanship – ideal for discerning builders and architects seeking an elegant solution for integrating DoorBird. Manufactured from high-quality stainless steel and completely "Made in Germany" by the Mailbox Manufacturer Lippe, this model stands for durability, functionality, and stylish appearance. The powder-coated front panel made from 2 mm V2A stainless steel (1.4301) impresses with a timeless design and high corrosion resistance.

The heart of this system is the DoorBird IP Video Door Station D2100E or D1100E, which integrates seamlessly into modern smart home solutions. It offers live video transmission, intercom functionality, and mobile control via the DoorBird app. Whether at home or on the go, you can see and speak to visitors at your door anytime using your smartphone. Classic components such as doorbells, electric door openers, or gate drives can be easily integrated and controlled through the system.

The GRIMM mailbox impresses with modern design, high-quality craftsmanship, and thoughtful functionality. Equipped with a classic lever lock made of stainless steel, complete with a dust cover, the locking mechanism is reliably protected from weather influences and ensures a long lifespan. Mail retrieval is conveniently from the back – ideal when the mailbox is integrated into a wall or fence structure. Mail is inserted from the front and is supported by high-quality axis dampers that allow for gentle and quiet closure of the mail flap. Thanks to the practical design, your mail remains secure in the box, even when the flap is open. The GRIMM is particularly flexible due to its double box system: the column can be installed during the rough construction phase, while the front panel is mounted only after the construction work is completed. This protects the mailbox from dirt and damage during the construction period and ensures a perfect appearance upon moving in.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creases. The GRIMM mailbox impresses with its durable quality, timeless design, and thoughtful functionality.

A special feature of the Design Mailbox Column GRIMM is the fully welded stand column made from solid V2A stainless steel 1.4301, powder-coated in a colour of your choice. This construction guarantees the highest stability and an exceptionally long lifespan – even with permanent outdoor use. The fully welded design results in a seamless, robust body without visible screws or connections, which not only emphasises the elegant appearance but also prevents the ingress of moisture and dirt. The precisely ground seams provide a uniform appearance and give the column a particularly high-quality feel. Furthermore, the design allows for invisible cable management within the column, ensuring that all electrical connections for the DoorBird video intercom and other smart home components can be safely and securely installed. This unique manufacturing method sets new standards in design and functionality, making the GRIMM mailbox column a future-proof solution for modern architectural projects.

- High-quality mailbox column made entirely from stainless steel for freestanding installation.
- Front panel made from 2 mm V2A stainless steel 1.4301, powder-coated in the desired colour.
- Quality manufacturing – Made in Germany by Mailbox Manufacturer Lippe.
- Integrated DoorBird IP Video Door Station – modern door communication via mobile. Compatible with many smart home systems and existing building technology.
- High-quality lever lock including 2 keys with key number.
- The rear retrieval door with opening limiter opens from top to bottom to prevent the mail from falling out.
- Front insertion with high-quality axis dampers for very quiet mail insertion.
- DIN/EN 13724 compliant mailbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape – even large letters remain intact. Additional stainless steel retrieval protection integrated.
- Optimal weather protection through recessed panel.
- Double box system: The panel can be conveniently installed after construction work is completed and can be replaced at any time.
- The fully welded stand column consists of 2 mm V2A stainless steel 1.4301, powder-coated in the desired colour. The construction height is 1.70 m.
- Invisible cable feeds through the body are possible.
- The column is equipped with a base plate made of VA. This is 10 mm thick and is finished with a cover panel. This conceals the fastening dowels.

Important Information:

To achieve optimal water protection for your mail, the mailbox or mailbox system should ideally be located under a canopy.

Mail is only protected from water if it is completely placed inside the box and the insertion flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against water entry according to DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GRIMM
Connection technology	2-wire, LAN
Number of bell push buttons	1 button
Functions	Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	DoorBird
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving, House number as laser cut, illuminated
Name labelling	Laser-engraved
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	External dimension 750.0 | Installation dimension 710.0
Width of single box in mm	External dimensions 450.0 | Installation dimensions 410.0
Capacity in litres	26.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	External dimension 750.0 | Installation dimension 710.0
Width of letterbox system in mm	External dimensions 450.0 | Installation dimensions 410.0
Overall height in mm	1700.0
Total width in mm	Korpus 490.0 | Base plate 580.0
Depth in mm	Korpus 150.0 | Base Plate 242.0
Weight in kg	65
Delivery condition	Delivery is made assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618