
Stainless steel surface-mounted mailbox BASIC Plus 382X AP with side-mounted doorbell box | Right | 100mm depth | with 1 mailbox | Stainless steel, brushed



Product number 382XA-1W-SP-100-R

Product description

Stainless steel surface-mounted mailbox BASIC Plus 382X AP with side-mounted bell box

German quality manufacturing "Made in Germany" by Briefkasten Manufaktur. The complete surface-mounted mailbox is made of weather-resistant stainless steel V2A, brushed. A rain drainage edge for optimal water protection, a double-folded letter flap with rubber buffer, the solid interchangeable nameplate, a practical mail retention bracket and a very robust lock characterise this stainless steel mailbox.

The mailbox systems of the BASIC Plus collection are distinguished by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our in-house engineers with a focus on high flexibility and modularity, easy spare part assembly and uncomplicated self-installation.

Spare parts are directly available for all BASIC Plus systems. Surface-mounted mailbox made of high-quality, weather-resistant stainless steel V2 A 1.4301, brushed.

Advantages at a glance

Close-fitting stainless steel cladding with rain canopy

Side cladding and rain canopy are included in this configuration and are made of stainless steel V2A, brushed. The close-fitting design forms a closed, constructively coordinated unit with the mailbox system.

Generous letter slot

The letter slot measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox complies with DIN EN 13724.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and comfortable retrieval

The integrated flap damper with rubber buffer reduces impact noise during insertion. The mail retention bracket holds items back during removal.

Integrated bell and intercom area

Bell box made of stainless steel V2A 1.4301, brushed. A stainless steel bell push button Type 4 is used. Optionally prepared with a speech grille for the installation of conventional intercom systems or built-in speakers. (Intercom system/built-in speaker not included). A version with the Comelit Ultra video complete set is also available as an option.

Quality manufacturing and well-considered design

The system is manufactured by Briefkasten Manufaktur in Germany. The construction is designed for uncomplicated self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 1 individually usable mail compartment
Depth 100 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox surface Brushed
Bell/intercom section Bell box made of stainless steel V2A 1.4301, brushed

Mail and operation

Letter slot 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Letter flap Sound-damped by rubber buffer
Mail retrieval Front access
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the letter flap
Mail retention bracket Integrated per mailbox

Installation and equipment

Mounting type Surface-mounted
Rain drainage edge Integrated into the construction
Rain canopy Made of stainless steel V2A, brushed
Side cladding Made of stainless steel V2A, brushed
Mounting materials For wall mounting incl. fixings
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Mail items are best protected from moisture and soiling when fully inserted and the letter flap is closed. Protruding items may prevent the flap from closing completely.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on wall mounting

Before installation, check the load-bearing capacity and condition of the wall. The fixing must be matched to the weight of the unit and the existing wall construction.

Product properties

Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Surface/colour	Brushed
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	330.0
Width of letterbox system in mm	525.0
Total width in mm	525.0
Depth in mm	100.0 | 150.0
Weight in kg	12

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618